



2020-21

# Equations

## Tournament Rules



# Equations Tournament Rules 2020-21

## TABLE OF CONTENTS

Basic Equations.....	E1
I. Starting a Match (Round) .....	E2
II. Starting a Shake .....	E2
III. Legal Mathematical Expressions.....	E3
IV. Setting the Goal.....	E4
V. Moving Cubes .....	E5
VI. Challenging .....	E6
VII. Writing and Checking Equations .....	E7
VIII. Last Cube Procedure.....	E12
IX. Illegal Procedures.....	E13
X. Scoring a Shake .....	E14
XI. Time Limits .....	E14
XII. Scoring a Match .....	E16
XIII. Adventurous Variations .....	E16
A. Elementary.....	E16
B. Middle .....	E20
C. Junior .....	E22
D. Senior .....	E24
Appendix A .....	EA1
Equations Glossary.....	EG1

### GENERAL NOTES:

1. All quotations in these Tournament Rules are from the rules in the booklet that accompanies the game kit.
2. The rules are formatted so that someone reading them for the first time can concentrate on the sections in the largest font (same size as this text). The smaller text gives explanations and comments that explicate the previous rule or procedure but can be skipped on a first reading.
3. Changes from last year's rules are highlighted in **bold**.
4. **Blue** words and phrases are defined in the Glossary, which is included at the end of this document.

## BASIC EQUATIONS®

Basic Equations can be introduced with the following seven rules. The complete Official Tournament Rules should be used once players become familiar with the game.

### I. GOAL Rule

Two- or three-player matches will be played. To start, one player rolls 24 cubes (six of each color). The numerals and operations that show on the top faces of the cubes form the Resources.

- A. The player who rolled the cubes sets a Goal by moving one to six cubes from the Resources to form a legal mathematical expression on the Goal section of the playing mat.
- B. The Goal may contain one or two digit numbers in addition to operation signs.

### II. MOVE Rule

After the Goal has been set, play progresses to the left. When it is your turn to play, you must either challenge (see rule IV) or move a cube from Resources to the Forbidden, Permitted, or Required section.

### III. SOLUTION Rule

A Solution, which is written on paper, must equal the Goal and also obey these requirements.

- A. The Solution must contain at least two cubes.
- B. It must use the cubes as specified on the playing mat: all cubes in Required, no cubes in Forbidden, and none, some, or all of the cubes in Permitted.
- C. It may contain only one-digit numerals.
- D. It may contain parentheses to show the order of operations.
- E. It may use the + and – signs to indicate only the operations of addition and subtraction. The  $\times$ ,  $\div$ , and  $^$  (or  $*$ ) signs indicate multiplication, division, and exponentiation, respectively. (This also applies to the Goal.)
- F. If the radical sign ( $\sqrt{\quad}$ ) is used, it must be preceded by an expression to denote its index with the exception that when no index is shown, it is understood to be 2. (This also applies to the Goal.)

### IV. CHALLENGE Rule

- A. Whether or not it is your turn, you may challenge another player who has just set the Goal or moved. To do so, you must pick up the challenge block and say one of the following.
  1. NOW: This means that the Challenger claims a Solution can be written using:
    - a. all the cubes in Required and
    - b. none, some, or all of the cubes in Permitted and
    - c. one more cube from Resources, if needed.
  2. IMPOSSIBLE: This means the Challenger claims that nobody can write a Solution that satisfies all the requirements placed on the cubes in the Forbidden and Required sections, no matter how many cubes might still be used from the Permitted section and the Resources.
- B. After a challenge in a three-player match, the Third Party (the player who is neither the Challenger nor the last Mover) may present an Equation but does not have to.

### V. CORRECTNESS Rule

After a challenge, a player is correct if and only if that player

- A. has to write a Solution or may write a Solution and does so correctly or
- B. does not have to write a Solution (someone else does) and nobody writes a correct Solution.

### VI. CHALLENGE-SCORING Rule

- A. Any player who is not correct scores 2.
- B. A correct Challenger or Mover scores 6.
- C. A correct Third Party scores 6 if she (a) presents a correct Equation after an Impossible challenge or (b) presents a correct Equation after a Now challenge and the Challenger does not present a correct Equation, or (c) does not present an Equation after an Impossible challenge, and the Challenger's Equation is incorrect. Otherwise, a correct Third Party scores 4.

### VII. LAST CUBE Rule

As soon as there is only one cube left in Resources, the only challenge allowed is IMPOSSIBLE. If nobody challenges IMPOSSIBLE, the player whose turn it is must move the last cube to either Required or Permitted. Then, unless someone makes an IMPOSSIBLE challenge, all players write an Equation. Whoever is correct scores 4 points; whoever is incorrect, scores 2.

## EQUATIONS® Tournament Rules 2020-21

### I. Starting a Match (Round)

- A.** Two- or three-player matches will be played. A **match** is composed of one or more shakes. A **shake** consists of a roll of the cubes and the play of the game ending with at least one player attempting to write an **Equation**, which contains a **mathematical expression** that equals the Goal and correctly uses the cubes on the **playing mat**.
- B.** The following equipment is needed to play the game.
- 24 cubes: there are six of each color (red, blue, green, and black). Every face of each cube contains either a **digit** (0, 1, 2, 3, 4, 5, 6, 7, 8, 9) or an operation sign (+, −, ×, ÷, ^ or \*, √).
  - A playing mat: this contains four sections.
    - Goal:** cubes played here form the Goal.
    - Required:** all cubes played here *must* be used in any **Solution**.
    - Permitted:** any or all cubes played here *may* be used in any **Solution**.
    - Forbidden:** *no cube* played here may be used in any **Solution**.
  - A one-minute sand **timer**: this is used to enforce **time limits**.
  - A **challenge block**: This is a cube or similar object and not a flat object like a coin. It should not be so large that two players can grab it simultaneously.
- C.** Players may use only pencils or pens, blank paper, and (for **Adventurous Equations**) variation sheets. No prepared notes, books, tables, calculators, cell phones, or other electronic devices may be used.

In Elementary and Middle Divisions, players may use an approved preprinted chart for recording the Resources, variations, Goal, and Solutions.

- D.** The **Goal-setter** for the first shake is determined by lot. On each subsequent shake, the Goal-setter is the player immediately to the *left* of the previous Goal-setter.
- To determine the first Goal-setter, each player rolls a red cube. The player rolling the highest digit sets the first Goal. A player who rolls an operation sign is eliminated unless all players roll an operation sign. Players tied for high digit roll again until the tie is broken.

### II. Starting a Shake

- A.** To begin a shake, the Goal-setter rolls all 24 cubes. The symbols on the top faces of the rolled cubes form the **Resources** for the shake.
- A shake begins as soon as the timing for rolling the cubes is started or the cubes are rolled.
  - During a shake, no player may turn over a cube or obstruct the other players' view of any cube. (See section **IX-C**.)
- B.** In **Adventurous Equations**, after the cubes are rolled but before the Goal is set, each player must select a variation from the appropriate list in section **XIII** of these rules. A **variation** is a special rule which, if it conflicts with any of the regular tournament rules, supersedes those rules.
- The Goal-setter makes the first selection, then the player to the left of the Goal-setter, then the third player if there is one.
    - Each player has 15 seconds to make a variation selection.
    - To begin a shake, the Goal-setter has one minute to roll the cubes. At the end of this minute, he has 15 seconds to select a variation. However, if the Goal-setter selects a variation before the minute for rolling the cubes expires, the next player has the rest of that minute plus 15

seconds to select a variation. If the second player also selects a variation before that minute expires, the third player (if there is one) has the rest of that minute plus 15 seconds to select.

- c. A player selects a variation by circling its name in the list for that shake. This list is located on the reverse side of the [scoresheet](#) or on a separate sheet. For certain variations (e.g., Base or [Multiple of  \$k\$](#) ), the player must also fill in a blank to indicate which base or value of  $k$  is chosen, and so on.

2. If a player selects a variation that has no effect on the shake, a variation that conflicts with one already chosen for the shake, or a variation that has already been chosen for the shake, the player loses one point and must pick another variation. If, on the second try, the player still does not select an appropriate variation, he loses another point and may not pick a variation for that shake.

If a player's illegal variation selection is not pointed out before the next player selects a legal variation or a legal Goal is set (whichever comes first), the player making the illegal selection is not penalized. However, the illegal variation is ignored for the shake.

*Examples* It is illegal to choose 0 Wild with no 0 cube in Resources or Average when no + was rolled.

3. In two-player matches in [Elementary](#), [Middle](#), and [Junior Divisions](#), the player who is not the Goal-setter must select *two* variations for the shake. In [Senior Division](#), any player may pick two variations for any shake in both two- and three-player matches.

A player picking two variations must select both within the 15 second time limit. (See Section [XI-A-1-b](#).)

### III. Legal Mathematical Expressions

- A. A *legal mathematical expression* is one which names a real number and does not contain any symbol or group of symbols which is undefined or illegal in Equations.

*Examples*  $a \div 0$  for any value of  $a$  does not name a real number. (See section [C](#) below for additional examples.)

$\sqrt{26}$  is an illegal expression in [Elementary Division](#) because it does not equal a whole number.

$27+16-3$  is an illegal expression in the Goal because it contains more than six cubes.

#### *Comments*

- (a) An expression on paper may contain pairs of [grouping symbols](#) such as parentheses, brackets, or braces even though these do not appear on the cubes. These symbols indicate how the [Equation-writer](#) would physically group the cubes if the Equation were actually built with the cubes.
- (b) With the Imaginary variation (see p. [E24](#)), expressions may contain complex numbers.

- B. The symbols on the cubes have their usual mathematical meanings with the following exceptions.

1. The + and – cubes may be used only for the operations of addition and subtraction; they may not be used as positive or negative signs.

*Examples* +7, –8,  $6x+4$ , and  $17 \div (-8)$  are illegal expressions.

2. If the [radical sign](#) ( $\sqrt{\quad}$ ) is used, “it must always be preceded by an expression to denote its [index](#)” unless the index equals 2. If no index is shown, it is understood to be 2.

*Examples*  $2\sqrt{9}$  or just  $\sqrt{9}$  is legal and means “the square root of 9”;  $1\sqrt{2}$  means “the first root of 2,” which is 2.  $(2+1)\sqrt[3]{8}$  means “the cube root of 8,” which is 2.  $4x\sqrt{9}$  means “4 times the square root of 9,” which is  $4 \times 3$  or 12.  $3\sqrt[3]{\sqrt{9}}$  means “the cube root of the square root of 9,” which is the sixth root of 9. (This expression is illegal in [Elementary Division](#) – see the “General Rule” in section [XIII-A](#).)

3. ^ (or \*) means [exponentiation](#) (raising to a [power](#)).

*Example*  $4^2$  (or  $4^*2$ ) means  $4^2$ , which is  $4 \times 4 = 16$ .

**C. Expressions involving powers and roots must satisfy these requirements.**

1. Even-indexed radical expressions indicate only **non-negative (principal)** roots.

*Examples*  $\sqrt{9}$  equals 3, not  $-3$ ;  $4\sqrt{16} = 2$  (not  $-2$ ).

2. The following expressions are **undefined**. Note: In all cases,  $\wedge$  may be replaced by  $*$  for older games.

a.  $0\sqrt{a}$  where  $a$  is any number

b.  $0 \wedge a$  where  $a \leq 0$

c.  $a\sqrt{b}$  where  $a$  is an even **integer** and  $b$  is negative

d.  $(a \div b)\sqrt{c}$  where  $c$  is negative and, when  $a \div b$  is reduced to lowest terms,  $a$  is an even integer and  $b$  is an odd integer

e.  $a \wedge (b \div c)$  where  $a$  is negative and, when  $b \div c$  is reduced to lowest terms,  $b$  is an odd integer and  $c$  is an even integer

*Examples*

(a)  $(-8)^{4/6}$  is defined, as shown by the following steps. First reduce the **fractional exponent** to lowest terms:  $(-8)^{4/6} = (-8)^{2/3}$ .  $(-8)^{2/3}$  is of the form  $a \wedge (b \div c)$  where  $a$  is negative. Since  $b$  is even and  $c$  is odd,  $(-8)^{2/3}$  is defined.  $(-8)^{2/3} = 3\sqrt{(-8)^2} = 3\sqrt{64} = 4$ .

(b)  $(-4)^{2/4}$  is *not* defined because  $(-4)^{2/4} = (-4)^{1/2}$ , which is of the form  $a \wedge (b \div c)$  with  $a$  negative,  $b$  odd, and  $c$  even.

*Note* The following reasoning is *not* allowed since the exponent is not reduced first:

$$(-4)^{2/4} = 4\sqrt{(-4)^2} = 4\sqrt{16} = 2.$$

(c)  $3/6\sqrt{(-9)}$  is defined because  $3/6\sqrt{(-9)} = 1/2\sqrt{(-9)}$ , which is of the form  $(a \div b)\sqrt{c}$ , with  $c$  negative. However,  $a$  is odd and  $b$  is even. So  $3/6\sqrt{(-9)} = (-9)^{6/3} = (-9)^2 = 81$ .

(d)  $8/2\sqrt{(-5)}$  is *not* defined because  $8/2\sqrt{(-5)} = 4\sqrt{(-5)}$ , which is of the form  $a\sqrt{b}$  where  $a$  is even and  $b$  is negative.

*Comment* Some of the expressions that are listed as undefined above are defined when the Imaginary variation is in play in Senior Division. See pp. 26-27.

**IV. Setting the Goal**

**A.** The player who rolls the cubes must set a Goal by transferring the cube(s) of the Goal from Resources to the **Goal section** of the playing mat.

**B.** A Goal consists of at least one and at most *six* cubes which form a legal expression.

1. Numerals used in the Goal are restricted to one or two digits. The use of operation signs is optional.

*Examples of legal Goals* 6, 23, 8-9, 17x8, 19+8-5, 87÷13,  $3\sqrt{64}$ ,  $\sqrt{49}$ ,  $17^2$

*Examples of illegal Goals* 125 (three-digit numerals not allowed), 23+18+7 (too many cubes), 45x (does not name a number), +8 (does not name a number since + means addition).

2. The **order of operations** of mathematics does *not* apply to the Goal. The Goal-setter may physically group the cubes in the Goal to indicate how it is to be interpreted. If the Goal-setter does not group the cubes, the Goal may be interpreted in any valid way.

*Examples*

(a)  $2x\ 3+5$  (with space between  $x$  and 3) means  $2 \times (3 + 5)$ .

(b)  $2x3 +5$  (with space between 3 and +) means  $(2 \times 3) + 5$ .

(c) The Goal  $2x3+5$  (with no spaces) may be interpreted as either  $2 \times (3 + 5)$  or  $(2 \times 3) + 5$ .

*Comment* The Goal-setter may not be able to remove all ambiguities from the Goal.

*Example*  $\sqrt{5+4}\ x9$  where the Goal-setter wants to apply the  $\sqrt{\quad}$  to the entire expression  $(5+4)x9$ . *Declaring orally that the  $\sqrt{\quad}$  applies to everything that follows is not binding.* Players may interpret this Goal as  $[\sqrt{(5+4)}]x9$  or as  $\sqrt{[(5+4)x9]}$ .

3. Once a cube touches the Goal section of the mat, it must be used in the Goal.

- a. The Goal-setter indicates the Goal has been set by saying “Goal.”
  - b. The Goal-setter may rearrange or regroup the cubes in the Goal section until he says “Goal.”
  - c. The Goal may not be changed once it has been set.
- C. Before moving the first cube to the Goal section of the mat, the Goal-setter may make a **bonus move**.
- 1. To make a bonus move, the Goal-setter must say “Bonus,” then **move** one cube from Resources to Forbidden.
  - 2. A Goal-setter who is leading in the match may not make a bonus move.  
If the Goal-setter makes a bonus move while leading in the match and an opponent points out the error before the next player moves or someone legally challenges, the cube in Forbidden is returned to Resources. The Goal-setter is also penalized one point.
- D. If the Goal-setter believes no Goal can be set which has at least one **correct Solution** (see section VII), he may declare “no Goal.” Opponents have one minute to agree or disagree with this declaration.
- 1. If all players agree, that shake is void, and the same player repeats as Goal-setter for a new shake.

*Comments*

- (a) The Goal-setter would declare “no Goal” only in those rare instances when an unusual set of Resources was rolled. For example, there are less than three **digit cubes** or only one or two **operation cubes**. (Even in these cases, the Goal-setter could choose a variation like 0 Wild that might allow a Goal to be set.)
  - (b) Players receive no points for the void shake.
  - (c) If the Goal-setter makes a Bonus move, he is committed to setting a Goal and may not declare “no Goal.”
2. An opponent who does not agree with the “No Goal” declaration indicates disagreement by picking up the challenge block and challenging the “No Goal” declaration. She then has two minutes to write a correct Equation (Solution and Goal). If there is a third player, he may also write an Equation. The Challenger and Third Party may use as many cubes from Resources as needed for the Goal and Solution.  
Scoring for this Challenge is as follows:
- If the Challenger presents a correct Equation, he scores 6. If the Challenger’s Equation is incorrect, he scores 2.
  - If the Third Party presents an incorrect Equation, she scores 2. If the Third Party presents a correct Equation, she scores 4 if the Challenger’s Equation is also correct or 6 if the Challenger’s Equation is incorrect. If the Third Party does not present an Equation, she scores 6 if the Challenger’s Equation is incorrect or 2 if the Challenger’s Equation is correct.
  - If either the Challenger or the Third Party presents a correct Equation, the original Goal-setter scores 2. If neither the Challenger nor the Third Party presents a correct Equation, the original Goal-setter scores 6.

V. Moving Cubes

- A. “After the Goal has been set, play progresses in a **clockwise** direction” (to the left).
- B. When it is your **turn** to play, you must either move a cube from Resources to one of the three sections of the playing mat (Required, Permitted, Forbidden) or **challenge** the last **Mover**.

The move of a cube is completed when it touches the mat. Once a cube is legally moved to the mat, it stays where it was played for the duration of the shake.

- C. If you are not leading in the match, then “on your turn you may take a bonus move before making a **regular move**.”

  - 1. To make a bonus move, the Mover must say “Bonus,” then move one cube from Resources to Forbidden.

*Comments*

- (a) "If you do not say 'Bonus' before moving the cube to Forbidden, the move does not count as a bonus move but as a regular move to Forbidden." You are not entitled to play a second cube.
  - (b) When making a bonus move, the first cube *must* go to Forbidden. The second cube may be moved to Required, Permitted, or Forbidden.
2. If the player in the lead makes a bonus move and an opponent points out the error before another player makes a **legal move** or **challenge**, the Mover must return the second cube played on that turn to Resources. The Mover also loses one point.

*Comment*

- (a) Players tied for the lead *may* make Bonus moves.
- (b) Players often call "Bonus" and move two cubes simultaneously to Forbidden. If the player did not call "Bonus," he may return either of the two cubes to Resources.

## VI. Challenging

A. "Whether or not it is your turn, you may **challenge** another player who has just completed a move" or set the Goal. The only two **legal challenges** are Now and Impossible.

1. By challenging *Impossible*, a player claims that no correct Equation can be written regardless of how the cubes remaining in Resources may be played.

*Comments*

- (a) If the Goal is not a legal expression, an opponent should challenge Impossible. Examples of such Goals are +8,  $65+87-3$ , 122,  $8\div 0$ , and so on.
  - (b) Occasionally it is obvious before the Goal-setter completes the Goal that no Solution is possible. Examples: Using more than six cubes in the Goal or (in Mid/Jr/Sr) using an 8 or 9 in the Goal when Base eight was called. However, opponents must still wait until the Goal-setter indicates the Goal is finished before challenging. You may not pick up the challenge block and "reserve" the right to challenge when the Goal is completed.
2. By challenging *Now*, a player claims that a correct Equation can be written using the cubes on the mat and, if needed, *one* cube from Resources.

- a. A player may challenge Now only if there are at least two cubes in Resources.

If a player challenges Now with fewer than two cubes in Resources, the challenge is invalid and is set aside. The **Challenger** is also penalized one point. (See section **B** below.)

*Comment* If only one cube remains in Resources and no one challenges Impossible, then a Solution is possible using that one cube. Since the latest Mover had no choice but to play the second-to-last **Resource cube** to the mat, it is not fair that he be subject to a Now challenge. (However, an Impossible challenge could be made.) See section **VIII** for the procedure to be followed when one cube remains in Resources.

- b. Since a **correct Solution** must contain at least two cubes, it is illegal to challenge Now after the Goal has been set but before a cube has been played to Required or Permitted.

If a player does so, the "challenge" is set aside, the player is penalized one point, and play continues.

B. A challenge block is placed equidistant from all players. To challenge, a player must pick up the block and say "**Now**" or "**Impossible**."

A player who picks up the block and makes an **invalid (illegal) challenge** or says nothing is penalized one point, and the challenge is set aside. Examples of invalid challenges are (a) challenging yourself (you were the last Mover), (b) challenging Now when less than two cubes remain in Resources, and (c) challenging Now with no cubes in Required or Permitted. If a player picks up the block, then decides not to challenge (without saying "Now" or "Impossible"), the player accepts a one-point penalty and play continues.



*Comments*

- (a) The main purpose of the block is to determine who is the Challenger in a three-player match when two players wish to challenge at the same time.
- (b) Touching the challenge block has no significance. However, players may not keep a hand, finger, or pencil on, over, or near the block for an extended period of time. (See section IX-C.)
- (c) A player must not pick up the challenge block for any reason except to challenge. For example, don't pick it up to say "Goal" or to charge *illegal procedure*.

**VII. Writing and Checking Equations**

**A. After a valid challenge, at least one player must write an Equation.**

1. After a **Now challenge**,
  - the **Challenger** *must* present an Equation.
  - the Mover may *not* present an Equation.
  - the **Third Party** *may* present an Equation.
2. After an **Impossible challenge**,
  - the Challenger may *not* present an Equation.
  - the Mover *must* present an Equation.
  - the Third Party *may* present an Equation.

**B. To be correct, a Solution must be a legal expression (see section III) that satisfies the following criteria.**

1. The Solution must be part of a complete Equation in this form.

$$\text{Solution} = \text{Goal}$$

*Comment* While *Solution = Goal* is the *recommended* form for writing the Equation, *Goal = Solution* is acceptable. (See Appendix A for all matters involving how Equations must be written.)

2. The Solution must equal the interpretation of the Goal that the **Equation-writer** presents with the Solution.

*Examples – in each case ^ may be replaced by \* for older games.*

Goal	Sample Equation	Goal	Sample Equation
37	$(6 \times 6) + 1 = 37$	11+5	$(3 \times 2) + (5 \times 2) = 11 + 5$
3x5+2	$(5^2) - 4 + 0 = 3 \times (5 + 2)$	3x 5+2	$(5 \times 4) + 1 = 3 \times (5 + 2)$
03	$(5 \times 5) - 2 = 03$ (with 0 Wild) ↑ 0	0+3	$1^{(7+8-4 \times 3)} = 0 + 3$ (0 Wild, Upside-down) ↑ ud 2
30x7	$[(5^2) \times 8] + 6 + 4 = 30 \times 7$ (with 0 Wild, 0 defaults to 0)	9÷8	$5 + 4 = 9! \div 8!$ with Factorial variation

*Note:* See Appendix A at the end of this document for a complete list of ways of indicating what ambiguous cubes (such as wild cubes) represent in Equations. The Appendix also lists the default values of ambiguous symbols if an Equation-writer does not indicate the interpretation. In general, there is no default order of operations in Equations (except when certain variations are played – see section 6b below).

*Comments*

- (a) An Equation-writer who does not write which interpretation of the Goal the Solution equals, even when there is only one interpretation, is automatically incorrect.
- (b) The Equation-writer does not write the *value* of the Goal except in those cases where writing the Goal is the same as writing its value.

*Examples*

- (i) The Goal is 37.
- (ii) The Goal is 40 with 0 Wild, and the writer writes 45 to indicate what 0 represents.

- (iii) For a Goal like  $3x5+2$ , the writer must write either  $(3x5)+2$  or  $3x(5+2)$  and not 17 or 21.
- (c) If the Goal is grouped, as in  $3x_5+2$ , an Equation-writer must write  $3x(5+2)$  and not  $3x_5+2$  (with space between  $x$  and  $5$  but no parentheses). In the latter case, the Equation-writer has written an ambiguous Goal. A checker may group it in such a way as to make the Equation wrong.

3. The Solution uses the cubes correctly.

- a. The Solution contains at least *two* cubes.
- b. The Solution uses *all* the cubes in Required.
- c. The Solution uses *no* cube in Forbidden.

*Comment* “Since several Resource cubes may show the same symbol, it is possible to have a 2 in Forbidden which must *not* be used in the Solution at the same time that there is a 2 in Required which *must* be used.”

- d. The Solution may use one or more cubes in Permitted.
- e. After a Now challenge, the Solution may contain *at most one* cube from Resources.
- f. After an Impossible challenge, any cubes in Resources are considered to be in Permitted and therefore may be used in the Solution.

4. The Solution contains only one-digit numerals.

*Comment* Certain variations (see section XIII) allow exceptions to this rule; for example, Two-digit Numerals in Elementary Division, Decimal Point in Elementary/Middle, and Base  $m$  in Middle/Junior/Senior.

5. In Adventurous Equations, the Solution satisfies all conditions imposed by the variations selected for that shake. (See section XIII for a list of the variations.)

*Examples*

- (a) If the Elementary variation Three-operation Solution has been chosen, any Solution that contains fewer than three operations is incorrect.
- (b) In Middle, Junior, and Senior, the Multiple of  $k$  variation requires that any Solution *not* equal the Goal. Instead the Solution must differ from the Goal by a multiple of  $k$ .

6. The Solution is not ambiguous. An ambiguous Solution is one that has more than one legal interpretation. Such a Solution is incorrect if an opponent shows that one of its values does not equal the interpretation of the Goal provided with the Solution.

*Comment* For the procedure to be followed when an Equation-checker thinks a Solution is ambiguous, see section C-5-c below.

- a. In Adventurous Equations, the general order of operations of mathematics (exponents first, then multiplication/division, finally addition/subtraction) does *not* apply to Equations. Consequently, a Solution or Goal may be ambiguous if the writer does not use parentheses (or other grouping symbols such as brackets or braces) to indicate the order of operations.
- b. Certain symbols have a default interpretation as regards grouping in the Goal and/or Solution, as follows.
  - (i) The radical sign ( $\sqrt{\quad}$ ) applies to just the numeral immediately behind it unless grouping symbols are used.

*Examples*  $\sqrt{4+5}$  means  $(\sqrt{4})+5$ . An opponent may *not* interpret  $\sqrt{4+5}$  as  $\sqrt{(4+5)}$ .  
 $\sqrt{(4+5)} + 7$  means  $(\sqrt{9}) + 7$ . An opponent may *not* interpret  $\sqrt{(4+5)} + 7$  as  $\sqrt{[(4+5) + 7]}$ .

- (ii) For the Factorial variation (see section **XIII** below), ! applies to just the numeral in front of it unless the Equation-writer uses grouping symbols to indicate otherwise.

*Examples*  $4 + 7!$  means  $4 + (7!)$ . An opponent may *not* interpret it as  $(4 + 7)!$

Suppose the Goal is  $4 + 7$ . If an Equation-writer wants  $4+(7!)$ , just write  $4+7!$   
If the writer wants  $11!$ , write  $(4+7)!$

- (iii) For the Exponent variation (Middle/Junior/Senior only – see section **XIII**), the **exponent** of the selected color applies to just the numeral in front of it unless grouping symbols are used.

*Examples*  $4+3^2$  means  $4 + (3^2)$ . An opponent may *not* interpret it as  $(4+3)^2$ .

With Factorial,  $4+3!^2$  means  $4+(3!)^2$ .

- (iv) For the Number of Factors and (Elementary only) Smallest Prime variations (see section **XIII** below), x applies just to the numeral immediately behind it unless grouping symbols are used.

*Examples*  $x7+9$  means  $(x7)+9$ , which is  $2+9$  if x means # factors or (Elementary only)

$11+9$  if x means smallest prime. An opponent may *not* interpret  $x7+9$  as  $x(7+9)$ .

$xx9\div 2$  means  $[x(x9)]\div 2$  and not  $x[(x9)\div 2]$  or  $x[x(9\div 2)]$ .

$\sqrt{x10} = \sqrt{(x10)} = \sqrt{4} = 2$

- (v) With the Imaginary variation in Senior **Division**, the implied or explicit multiplication before or after the  $\sqrt{\quad}$  takes precedence over any other operations in the expression (in the absence of parentheses).

*See the examples on page E23.*

- c. When the default interpretations for two symbols conflict, the expression is ambiguous, and the Equation-writer must use grouping symbols to remove the ambiguity.

*Examples*

- (a) The expression  $\sqrt{9!}$  is ambiguous because the default interpretation for Factorial, which says the expression means  $\sqrt{(9!)}$ , conflicts with the default interpretation of  $\sqrt{\quad}$ , which specifies the interpretation as  $(\sqrt{9})!$
- (b) With Number of Factors and Factorial,  $4+x7!$  is ambiguous. The default interpretation for Factorial is  $4+x(7!)$ . However, the default for Number of Factors is  $4+(x7)!$  Elementary only: The same ambiguity applies to Smallest Prime.
- (c) Middle/Junior/Senior: With Number of Factors and Exponent,  $4+x12^2$  is ambiguous. The Number of Factors default is  $4+(x12)^2$  while the Exponent default is  $x(12^2)$ . The expression may also be interpreted as  $(4+x12)^2$ .
- (d) Middle/Junior/Senior: With Factorial and Exponent,  $\sqrt{5!^2}$  is ambiguous because the default rules clash. The  $\sqrt{\quad}$  default interpretation is  $(\sqrt{5})!^2$ . However, the ! default is  $\sqrt{(5!)^2}$ , which is the same meaning required by the Exponent default.

*Note* None of the default interpretations of symbols restricts a player's right to interpret an ungrouped Goal in any acceptable way. For example, a Goal of  $x4x12$  with number of factors may be interpreted in two ways. If the Equation-writer wants  $(x4)x12$ , writing just  $x4x12$  is sufficient. However, the Equation-writer may also write  $x(4x12)$  to obtain the non-default meaning.

- C. After the time for writing Equations has expired (or when all Equation-writers are ready), each Equation that is presented must be checked for correctness.

1. After a challenge in a three-player match, the Third Party has two minutes to decide whether to present an Equation.

*Comment* The Third Party is not obligated to indicate whether he is presenting an Equation before the time limit expires. The Third Party may indicate his decision by:

- (a) stating whether he is presenting an Equation;

(b) answering “yes” (verbally or with a nod) or “no” (verbally or with a shake of the head) when asked whether he is presenting;

(c) Handing his paper to an opponent for checking.

Once the Third Party has indicated whether he is presenting an Equation, he may not retract his decision even if the time for presenting Equations has not expired.

**2. All Equations must be presented before any is checked.**

- a. Once a player presents an Equation to the opponent(s), he may make no further corrections or additions even if the time for writing Equations has not expired. If the writer tries to make a change after presenting the Equation, the Equation is automatically incorrect.
- b. Each Equation-writer must circle the Equation to be checked, *including the interpretation of the Goal*. A writer who forgets to circle the Equation must do so immediately when asked by an opponent.

**3. Opponents have two minutes to check each Equation. When more than one Equation must be checked, they may be checked in any order. In a three-player match, *both* opponents must check a player’s Equation during the *same* two minutes. No other Equation should be checked during this time.**

*Comment* When both players in a two-way match present Equations after the last cube has been moved (see section **VIII** below), only one Equation should be checked at a time.

**4. Within the time for checking an Equation, opponents must accept or reject the Equation. If the Equation is rejected, an opponent must show that it violates at least one of the criteria in section **VII-B**. An Equation is correct if no opponent shows that it is incorrect.**

After a Challenge in a three-player match, a player who does not present an Equation for a shake scores 2 if he accepts another player’s Equation as correct even if that Equation is subsequently proved wrong by the other checker.

*Comment* Players must not use the cubes on the playing mat to form the Solution being checked. This causes arguments over where each cube was played on the mat.

**5. A player who claims an opponent’s Equation is not correct must give at least one of the following reasons.**

**a. The Goal has no legal interpretation.**

*Examples*

(a)  $7 \div 0$  when 0 is not wild

(b) A Goal containing more than six cubes or a three-digit number

(c) Mid/Jr/Sr: 39 in Base eight

(d) Elem:  $3 \sqrt{9}$

(e) Elem/Mid:  $8 \times \curvearrowright$  when Sideways was not chosen

**b. The Equation-writer’s interpretation of the Goal is not a legal interpretation.**

*Examples*

(a) The writer makes 0 in the Goal equal another numeral when 0 Wild was not chosen.

(b) The writer groups the Goal in an illegal manner;

••• The Goal is grouped on the mat as  $5x \ 3+4$  and the writer interprets it as  $(5x3)+4$ .

••• Elementary: with Smallest Prime, the Goal  $x20x11$  may not be interpreted  $x(20x11)$  since  $20x11$  is larger than 200.

••• Senior: with  $| = i$ , the Goal is  $2|^{\wedge}47$  (or  $2|^{\wedge}47$ ) and the writer interprets it as  $2(|^{\wedge}47)$  (since an x is required after the 2 in this case).

(c) With Multiple Operations, the Equation-writer uses an operation cube in the Goal multiple times.

(d) With red Exponent, the writer interprets the Goal 312 (red 2) as a three-digit numeral.

**c. One or both sides of the Equation may be grouped so that the Solution does not equal the Goal. If a checker believes there is a legal interpretation of a Solution and/or Goal which makes the Equation wrong, that checker must copy the Solution and/or Goal to his own paper and add grouping symbols to create**

a *wrong* interpretation. If there is a second checker, the checkers may either work together to prove ambiguity or work separately. If working separately, the second checker may simultaneously and independently try to prove ambiguity. When both checkers are ready (or one is ready and the other has nothing to show), follow the same procedure used for checking the original Equation. That is, each attempt at proving ambiguity is checked. If either shows a legal interpretation of the Solution and/or Goal such that the Solution does not equal the Goal, then the original Equation is incorrect. If each attempt at proving ambiguity fails, the Equation must be accepted as correct. That is, *once the Equation-writer starts checking the attempt(s) at proving ambiguity, no further objections to the Equation are allowed.*

*Comments*

- (a) In the case where the checkers work separately to prove ambiguity, if the time for checking the Equation runs out, either or both of the checkers may take an **additional minute** (paying the one-point penalty to do so). If only one checker wishes to take the additional minute, the other checker may make no further changes to his revision of the Equation. If he tries to do so, then he incurs the one-point penalty also.
- (b) Just as two players writing Equations after a challenge or **forceout** may not communicate with each other, so two checkers attempting to prove ambiguity separately may not communicate while doing so.
- (c) Each checker working separately has only *one* opportunity to prove ambiguity. Similarly, checkers working together have just one joint chance to prove ambiguity.
- (d) While only one checker is attempting to prove ambiguity, the other checker may continue to check other aspects of the Equation.
- (e) If each checker separately trying to prove ambiguity is ready with his revision of the Equation before the time for checking expires, no -1 penalty is enforced during the time the original Equation-writer checks any attempts at proving ambiguity.

*Examples – in each case, ^ may be replaced by \* for older games.*

- (a) The Solution in  $5^2-4+0 = 3x(5+2)$  is ambiguous. An opponent may rewrite the Solution as  $5^{(2-4)+0}$  so that it does not equal  $3x(5+2)$ .
- (b) The Solution in  $2x4-(3+1) = 4$  is ambiguous. An opponent may rewrite it as  $2x[4-(3+1)]$  so that it does not equal 4. However, an opponent may *not* rewrite it as  $2x[4-(3)+1]$  since the brackets interfere with a grouping already in the Solution.
- (c) The Goal in  $(6x4)-2 = 7+5x3$  is ambiguous. A checker who rewrites the Goal as  $(7+5)x3$  has shown that the Equation is incorrect.
- (d) In Elementary Division, an expression like  $9\sqrt{5^9}$  must be grouped  $9\sqrt{(5^9)}$  because  $9\sqrt{5}$  is illegal (undefined) in Elementary. So if an Equation-writer does not group  $9\sqrt{5^9}$ , an opponent may group it  $(9\sqrt{5})^9$  to make the Equation wrong.

*Comment* Certain variations (such as 0 Wild) allow cubes to be used for other symbols. If a cube stands for anything other than what is on the cube, the Equation-writer must indicate clearly and unambiguously in writing what each such cube represents. See Appendix A for a list of suggested ways of doing this. Appendix A also lists any default interpretations when players do not write what symbols represent.

- d. The Solution does not equal the Equation-writer's interpretation of the Goal.
  - (i) Checkers must *make an effort* to determine whether the Solution equals the writer's interpretation of the Goal before rejecting the Equation.
  - (ii) The checker can give a general argument showing that the Solution does not equal the Goal.

*Examples*

- (a) The Goal is a fraction or an irrational like number, but the Solution equals an integer (or vice-versa).
- (b) The Solution equals a value greater than 1000 when the Goal is  $50x10$ . That is, the Solution is clearly too big (or too small) even without calculating its exact value.

(iii) One or both checkers may ask a judge to determine whether the Solution equals the Goal. However, the checkers will be restricted in two ways.

- *No further objections to the Equation will be allowed* even if the time limit for checking has not expired.
- If the Solution and/or the Goal in the Equation is ambiguous, the judge will answer, “Yes, the Solution equals the Goal” when one legal value of the Solution equals a legal value of the Goal since the checkers did not raise the issue of ambiguity. Furthermore, checkers may not make the catchall objection, “The Solution does not *unambiguously* equal the Goal.” General claims of ambiguity are not allowed. The checker must provide a *specific* grouping of either or both sides of the Equation that makes it incorrect.

*Example* The Equation is:  $(5+1)! = \sqrt{10!} \div 7$

The writer has not removed the ambiguity for  $\sqrt{10!}$ . However, she clearly wants  $\sqrt{(10! \div 7)}$ . Since the Solution equals that interpretation of the Goal, the judge will rule the Equation correct if no opponent raised the ambiguity issue. Even if a checker claims ambiguity, he must group the Goal as  $(\sqrt{10!}) \div 7$  or  $[\sqrt{(10!)}] \div 7$  in order to prove the Equation incorrect.

*Comment* When a checker asks a judge to check an Equation, “Solution = Goal” means the Solution and Goal *as written on the presenter’s paper*. If the Goal on the paper does not match the Goal on the mat or the Goal on the paper is grouped in a way that violates the physical grouping of the Goal on the mat, that is an objection that the checkers should have raised.

- e. A symbol or group of symbols is used ambiguously in the Solution or Goal, and one interpretation of the symbol(s) gives a value that makes the Solution not equal the writer’s Goal.

*Example*

Jr/Sr: With Base Twelve, the Solution in  $6 + \sqrt{4} = 5 + 3$  is ambiguous because  $\sqrt{\quad}$  can mean root or the digit eleven.

Note: See Appendix A for the default meaning of symbols that may be ambiguous. For example, if 0 is wild and the Equation-writer does not indicate what 0 means, 0 equals 0.

- f. A variation is applied incorrectly or not at all.

*Examples of incorrect Equations*

(a) With 0 Wild, the Equation uses a 0 for one symbol and another 0 for a different symbol.

(b) Elem/Mid: With Average, the Solution equals the Goal if + is interpreted as addition but not as average.

(c) Mid/Jr/Sr: With Multiple of  $k$ , the Solution equals the Goal rather than differing from it by a multiple of  $k$ .

6. A player may appeal a judge’s ruling on any matter provided that (a) a second judge was called to rule on the situation and (b) the player does not initial the scoresheet at the end of the round.

*Comment* For the procedure to be followed when a player appeals, see the National Tournament Administrative Book.

## VIII. Last Cube Procedure

- A. If one cube remains in Resources, the next Mover must either play that cube to Required or Permitted or challenge Impossible. When the cube has been moved, each player has two minutes to write an Equation.

The last cube in Resources may *not* be moved to Forbidden. If a player does so, any challenge that is made is set aside and the cube is returned to Resources. There is no penalty for the move to Forbidden unless the player’s time to make a legal move or challenge Impossible expires. (See section XI.)

*Comment* The player whose turn it is with one cube left in Resources may *not* challenge Now. See **VI-A-2-a** on page **E6**.

- B.** An opponent may challenge Impossible against the player who moved the last cube from Resources to Required or Permitted provided the challenge is made by the end of the first minute for writing Equations. If the challenge is made, any Equation-writer has the rest of the original two minutes to write an Equation.

*Comment* Any Now challenge against the player moving the last cube is invalid as is any Impossible challenge made after the first minute for writing Equations. In both cases, the player attempting to challenge loses a point, and the challenge is set aside.

## **IX.** Illegal Procedures

- A.** Any action which violates a procedural rule is **illegal procedure**. A player charging illegal procedure must clearly specify immediately the exact nature of the illegal procedure.

- 1.** If a move *is* illegal procedure, the Mover must return any illegally moved cube(s) to their previous position (usually Resources) and, if necessary, make another move.

The Mover must be given at least 10 seconds to make this correction, unless the original move was made after the ten-second countdown (see section **XI-A-3** below), in which case the time limit rule (section **XI-A**) is enforced. In general, there is no direct penalty except that the Mover may lose a point if he does not legally complete his turn during the time limit.

*Examples of illegal procedures*

Moving out of turn, moving two cubes without calling "Bonus" before the first cube touches the mat in Forbidden, moving the last cube in Resources to Forbidden

- 2.** If the move is *not* illegal procedure, the cube stands as played.

*Comment* There is no penalty for erroneously charging illegal procedure. However, see section **IX-C** if a player does so frequently.

- B.** An illegal procedure is **insulated** by a legal action (for example, a move or challenge) by another player so that, if the illegal procedure is not corrected before another player takes a legitimate action, it stands as completed.

*Example* Suppose the player in the lead makes a bonus move. Before anyone notices the illegal procedure, the next mover moves (or a valid challenge is issued). In this case, the illegal bonus move stays in Forbidden without penalty.

- C.** Certain forms of behavior interfere with play and annoy or intimidate opponents. If a player is guilty of such conduct, a judge will warn the player to discontinue the offensive behavior. Thereafter during that **round** or subsequent rounds, if the player again behaves in an offensive manner, the player may be penalized one point for each violation after the **warning**. Flagrant misconduct or continued misbehavior may cause the player's disqualification for that round or all subsequent rounds. Judges may even decide to have the other two opponents replay one or more shakes or the entire round because play was so disrupted by the third party. In some cases, judges may order the shake replayed by all three players.

*Examples* This rule applies to use of a cell phone, constant talking, tapping on the table, humming or singing, loud or rude language, keeping a hand or finger over or next to the challenge block, making numerous false accusations of illegal procedure, counting down the ten-second warning in an obnoxious manner, refusing to continue play after two judges have made the same ruling, and so on.

- D.** Certain infractions that give a player an unfair advantage or completely disrupt a shake may draw a -1 penalty immediately without a warning provided at least two judges agree on the penalty. Examples include: Using a calculator; consulting notes that were written before the match began; rerolling the cubes after they were legally rolled; intentionally turning over a cube on the playing mat or in Resources; and saying one variation selection but circling another. A pair of judges may also issue a -1 penalty or even expel a player from a match for other egregious actions such as not playing to win but rather trying only to ruin the perfect scores of one or both opponents (for example, by erroneously

challenging Now or Impossible at or near the beginning of each shake so that both opponents will score 5 for the round), knocking cubes off the mat in a fit of pique before the shake is finished, intimidating an opponent verbally or with threatening gestures or body language, refusing to continue play when ordered by a judge, and so on.

## X. Scoring a Shake

A. After a challenge, a player is *correct* according to the following criteria.

1. That player had to write an Equation and did so correctly.

If the Third Party agrees with the person who must write an Equation, the Third Party must write a correct Equation also.

2. That player did not have to write an Equation (someone else did), and no opponent wrote a correct Equation.

Exception: After a Challenge in a three-player match, a player who does not present an Equation for a shake scores 2 if she accepts another player's Equation as correct even if that Equation is subsequently proved wrong by the other checker.

B. After a challenge, points are awarded as follows.

1. Any player who is not correct scores 2.

A player is not correct if the player:

- presented an **incorrect Equation**.
- challenged Impossible, and an opponent presented a correct Equation.
- as Third Party on a Now challenge, did not present an Equation, but the Challenger did present a correct Equation.
- as Third Party on an Impossible challenge, did not present an Equation, but the Mover did present a correct Equation.

2. A correct Challenger or Mover scores 6.

3. The Third Party scores 6 if that player:

- presented a correct Equation after an Impossible challenge;
- presented a correct Equation after a Now challenge and the Challenger did *not* present a correct Equation.
- did not have to write an Equation (someone else did), and no opponent wrote a correct Equation.

4. The Third Party scores 4 if that player:

- did not present an Equation after an Impossible challenge and the Mover did not present a correct Equation.
- presented a correct Equation after a Now challenge and the Challenger also presented a correct Equation.

C. After the last cube from Resources is moved to the playing mat and no one challenges Impossible, points are awarded as follows.

1. Any player who presents a correct Equation scores 4.

2. Any player who does not present a correct Equation scores 2.

D. A player who is absent for a shake scores -2 for that shake.

## XI. Time Limits

A. Each task a player must complete has a specific time limit as listed below. The one- and two-minute time limits are enforced with the timer. If a player fails to meet a deadline, he loses one point and has one more minute to complete the task. If he is



not finished at the end of this additional minute, another one-point penalty is imposed, and he loses his turn or is not allowed to complete the task.

Note: In Elementary and Middle Divisions, each one-point penalty must be approved by a judge initialing the scoresheet.

1. The time limits are as follows.

- |  |            |
|--|------------|
| a. rolling the cubes   | 1 minute   |
| b. making a variation selection  | 15 seconds |
| This time limit does not begin until after the one minute for rolling the cubes.   |            |
| c. setting the Goal  | 2 minutes  |
| d. first turn of the player to the left of the Goal-setter   | 2 minutes  |
| e. all other regular turns (including any bonus moves)   | 1 minute   |
| f. stating a valid challenge after picking up the challenge block  | 15 seconds |
| g. deciding whether to challenge Impossible when no more cubes remain in Resources   | 1 minute   |
| If the Impossible challenge is made, any time (up to a minute) the Challenger takes deciding to challenge counts as part of the two minutes for writing an Equation. |            |
| h. writing an Equation   | 2 minutes  |
| i. deciding whether an opponent's Equation is correct  | 2 minutes  |

2. Often a player completes a task before the time limit expires. When sand remains in the timer from the previous time limit, the next player will receive additional time. An opponent timing the next player may either flip or not flip the timer so as to give the opponent the *lesser* amount of time before the remaining sand runs out, and the next time limit can be started.

3. A player who does not complete a task before sand runs out for the time limit must be warned that time is up. An opponent must then count down 10 seconds loud enough for the opponent to hear. The one-point penalty for exceeding a time limit may be imposed only if the player does not complete the required task by the end of the countdown.

The countdown must be done at a reasonable pace; for example, "one thousand ten, one thousand nine, ..., zero."

An exception to this rule occurs when a player picks up the Challenge Block but does not state a valid challenge within the 15 second time limit. If the player does not wish to challenge, he loses one point and play continues.

B. Each **round** lasts 30 minutes. When that time is up, players are told not to start any more shakes. Any shake for which there has been no challenge and the last cube procedure is not underway continues as follows.

1. Players have five minutes to finish the last shake.
2. When the extra five minutes expire, players still involved in a shake in which no challenge has been made and one or more cubes remain in Resources will be told: "Stop; do not play another cube to the mat or make a challenge. Each player has two minutes to write a correct Equation that may use *any* of the cubes remaining in Resources." Any player who presents a correct Equation scores 4 points for that shake; a player who does not present a correct Equation scores 2.
3. During the last five minutes of a round before the warning, a judge called to a table should note how long settling a controversy takes and add that amount to the warning time for that table.

## XII. Scoring a Match

- A. Each player is awarded points for the match based on the sum of his scores for the shakes played during that match according to the following tables.

Three-Player Matches	Points
first place	6
two-way tie for first	5
three-way tie for first	4
second place	4
tie for second	3
third place	2

Two-Player Matches	Points
first place	6
two-way tie for first	5
second place	4

- B. When a round ends, each player must sign (or initial) the [scoresheet](#) and the winner (or one of those tied for first) turns it in. If a player signs or initials a scoresheet on which his score is listed incorrectly and the error was a simple oversight, then, with the agreement of all players, correct the scores. However, if there is evidence of intent to deceive and the error was not a simple oversight, then do the following.
1. If the error gives the player a lower score, he receives the lower score.
  2. If the error gives the player a higher score, he receives 0 for that round.

## XIII. Adventurous Variations

*Comment* See Section II-B for the procedure to be followed when selecting variations.

### A. Elementary Variations (grade 6 and below)

*Note* {counting numbers} = {natural numbers} = {positive integers} = {1, 2, 3, 4, ...}  
{whole numbers} = {0, 1, 2, 3, 4, ...}

GENERAL RULE: If  $^{\wedge}$  (or  $^*$ ) is used for raising to a power, both base and exponent must be whole numbers. If  $\sqrt{\quad}$  is used for the root operation, the index must be a counting number, and the base and total value must be whole numbers.

*Examples – in each case,  $^{\wedge}$  may be replaced by  $^*$  for older games*

(a)  $3^2$  is acceptable and equals 9.  $0^9$  equals 0 and  $7^0$  equals 1. However,  $2^{(1-3)}$ ,  $4^{(1\div 2)}$ ,  $(2-5)^4$ , and  $(2\div 3)^3$  are not legal in Elementary.

(b)  $2\sqrt{9}$  or just  $\sqrt{9}$  is acceptable and equals 3.  $9\sqrt{0}$  equals 0. However,  $\sqrt{5}$  and  $3\sqrt{9}$  are not legal since neither is a whole number. Also  $2\sqrt{(1\div 3)}$ ,  $(1\div 2)\sqrt{5}$ , and  $3\sqrt{(1-9)}$  are illegal in Elementary.

(c) The legality of  $\sqrt{3^4}$  depends on its grouping.  $\sqrt{(3^4)}$  is legal;  $(\sqrt{3})^4$  is not.

1. Sideways A cube representing a non-zero number may be used sideways in the Goal or Solution to equal the reciprocal of that number.

*Examples*  $1 + 2 + \text{sideways} = 1 + 2 + 0.5 = 3.5$ ;  $1 \div \text{sideways} = 1 \div (1/3) = 1 \times 3 = 3$

*Comment* See Appendix A for ways to indicate sideways cubes in Equations.

2. Upside-down A cube representing a number may be used upside-down in the Goal or Solution to equal the [additive inverse](#) of that number.

*Examples*  $6 \times 2 = 6 \times \text{upside-down} = -12$ . However,  $62$  is *not* legal for  $6 - 2$  or  $60 + (-2)$ .

*Comments*

- (a) When both Sideways and Upside-down are chosen for a shake, a cube used in the Solution (but not the Goal) may be used *both* sideways and upside-down.
- (b) See Appendix A for ways to indicate an upside-down cube in an Equation.

3. 0 Wild The 0 cube may represent any numeral on the cubes, but it must represent the same numeral everywhere it occurs (Goal and Solution). Each Equation-writer must specify in writing the interpretation of the 0 cube if it stands for anything other than 0 in the Equation.

*Examples*

- (a)  $(0 \times 6) - 0 = 15$ , where both 0's stand for 3, is allowed but  $(0 \times 6) - 0 = 14$ , where the first 0 stands for 3 and the second for 4, is *not* allowed.
- (b)  $(0 \times 6) - 0 = 12$ , where the first 0 stands for 2 and the second for 0, is *not* allowed.
- (c) A 0 in the Goal and any 0 in the Solution must equal the same number. So  $(8 \times 5) + 0$  equals the Goal 40 if each 0 equals 2. However,  $(9 \times 5) - 0$ , where this 0 stands for 5, does *not* equal the Goal 40.

4. Factorial There are two occurrences of the factorial operator (!) available to be used in the Solution and/or the Goal as the Equation-writer chooses to use them. All uses of ! in the Equation must be in writing.

*Comments*

- (a) 5! ("5 factorial") means  $5 \times 4 \times 3 \times 2 \times 1$ , which equals 120.  $n!$  is defined only for whole number values of  $n$ . 0! is defined as 1.
- (b) In the absence of grouping symbols, ! applies to just the numeral in front of it. See section VII-B-6 for examples.

*Examples*

- (a) For the Goal  $4 \times 30$ , a Solution of 5! is *not* correct since it contains only one cube.
- (b) If the Goal is  $9 \div 8$ , an Equation-writer may interpret it as  $9! \div 8!$ , which is 9. However, the Solution may *not* contain an ! since both allotted factorial signs have been placed in the Goal (unless Multiple Operations has been called – see below).
- (c) The Equation  $5 \times 4 \div 0! = 20$  is correct since 0! equals 1 as defined in mathematics texts.
- (d) The Equation  $(8 - 5)! + 2 = 4! \div 3$  is correct since the Goal is  $(4 \times 3 \times 2) \div 3 = 4 \times 2 = 8$ .
- (e)  $3!! = (3!)! = (3 \times 2)! = 6! = 6 \times 5 \times 4 \times 3 \times 2 = 720$

5. Multiple Operations Every operation sign not in Forbidden (or the Goal) may be used many times in any Solution. If the Factorial variation is also chosen for the shake, an unlimited number of factorial operators may be used in each Solution. At most two factorials may be used in the Goal.

*Comments*

- (a) After an Impossible challenge, any operation sign in Resources may be used many times in a Solution. After a Now challenge, if the one cube allowed from Resources is an operation sign, it may be used multiple times.
- (b) Players may simply write an operation sign multiple times in Solutions without any additional indication since an operation cube is not being used to represent another symbol.

6. Three-operation Solution Any Solution must contain at least three operation symbols. The operation symbols are +, −, ×, ÷, ^ (or \*), √, and ! if Factorial is chosen.

*Comment* × used for number of factors or smallest prime is an operation symbol. So is an upside-down radical used for percent. However, ^ (or \*) used as a decimal point does *not* count as an operation symbol.

7. Remainder  $A \cdot \! \cdot B$  ( $\cdot \! \cdot$  is a sideways ÷) equals the remainder when  $A$  is divided by  $B$ .  $A$  and  $B$  are positive integers, and  $A$  is less than or equal to 1000.

*Examples*

- (a)  $15 \cdot \! \cdot 2 = 1$  since 15 divided by 2 gives a quotient of 7 with remainder 1.
- (b)  $(30 \wedge 2) \cdot \! \cdot 5 = 0$ , the remainder when 900 is divided by 5.

- (c)  $45 \cdot 1 \cdot 70 = 45$  [In general,  $A \cdot 1 \cdot B = A$  when  $A < B$ .]
- (d)  $87 \cdot 1 \cdot 87 = 0$
- (e)  $514 \cdot 1 \cdot 10 = 4$  [In general,  $A \cdot 1 \cdot 10 =$  the last digit of  $A$ ]

The following **odd-year variations** will be played in 2020-21.

8. **Two-digit Numerals** Two-digit numerals are allowed in Solutions.
9. **LCM**  $\sqrt{\quad}$  may represent the LCM (least common **multiple**) of two counting numbers.  
*Comment* This variation does not rule out using  $\sqrt{\quad}$  for root. So each Equation-writer must indicate *in writing* which  $\sqrt{\quad}$  in the Solution represents LCM. (See Appendix A.)  
*Examples*  
 (a)  $6 \sqrt{8} = 24$ , the smallest integer divisible by both 6 and 8.  
 (b)  $(2 \times 3) \sqrt{(5 + 4)} = 6 \sqrt{9} = 18$ .  
 (c)  $2 \sqrt{4} = 4$  (or 2, the square root of 4).  
 (d)  $0 \sqrt{5}$  is undefined.  
 (e)  $6\sqrt{\sqrt{9}}$  means the LCM of 6 and the square root of 9; that is, the LCM of 6 and 3, which is 6.
10. **GCF**  $^{\quad}$  (or  $^*$ ) may represent the GCF (greatest common **factor**) of two whole numbers, provided at least one of them is not 0.  
 GCF( $A, B$ ), “the greatest common factor of  $A$  and  $B$ ,” is defined if  $A$  and  $B$  are counting numbers or if  $A$  is a counting number and  $B = 0$  or if  $B$  is a counting number and  $A = 0$ . GCF( $A, 0$ ) =  $A$  and GCF( $0, B$ ) =  $B$ .  
*Comment* This variation does not rule out using  $^{\quad}$  (or  $^*$ ) for exponentiation. So each Equation-writer must indicate in writing which  $^{\quad}$  (or  $^*$ ) in the Solution represents GCF. (See Appendix A.)  
*Examples – in each case,  $^{\quad}$  may be replaced by  $^*$  for older games.*  
 (a)  $8 \wedge 6 =$  either  $8^6$  or 2, the largest integer that is a divisor of both 8 and 6.  
 (b)  $(4 \times 2) \wedge (6 + 3) = 1$  (with GCF) or  $8^9$  (with exponentiation).
11. **Number of Factors**  $xA$  means “the number of counting number **factors** of  $A$ ,” where  $A$  is a counting number less than or equal to 200.  
*Comments*  
 (a) This variation does not rule out using  $x$  for multiplication. In the Goal or Solution, the meaning of an  $x$  cube will usually be clear from the context since number of factors is a unary operation and multiplication is a binary operation.  
 (b) For the Number of Factors variation,  $x$  applies just to the numeral immediately behind it by default unless the Equation-writer indicates otherwise by grouping symbols. See section **VII-B-6** for examples.  
*Examples*  
 (a)  $x1 = 1$   
 (b)  $x(6 \times 2) = 6$  (since 12 has six factors: 1, 2, 3, 4, 6, 12)  
 (c)  $x(4 \times 4) = 5$  (since the factors of 16 are 1, 2, 4, 8, 16)  
 (d)  $x13 = 2$  (for use in any Goal or, if the Two-digit Numerals variation is chosen, in a Solution)  
 (e)  $x0, x(1 \div 2), x(1 - 4),$  and  $x(5 \wedge 4)$  [or  $x(5 \wedge 4)$ ] are not defined.  
 (f)  $xx12 = x(x12) = x6 = 4$   
 (g) In the expression  $3xx7$ , the first  $x$  means multiplication and the second means number of factors.  $3xx7 = 3 \times (x7) = 3 \times 2 = 6$ .  
 (h) In the expression  $x4x2$ , the first  $x$  means number of factors and the second means multiplication. By default, the value of this expression is  $(x4)x2 = 3 \times 2 = 6$ . To obtain the number of factors of 8, the Equation-writer must write  $x(4x2)$ .

These **even-year variations** will be played in Elementary again in 2021-22.

12. **Average**  $+$  shall not represent addition; instead it shall represent the operation of **averaging** two numbers.

*Examples*

- (a)  $7 + 9 = 8$ , the *average* of 7 and 9.  $7 - (0 - 9)$  equals 16, as usual.
- (b)  $5 + (4 \times 2) =$  the average of 5 and 8 = 6.5.
- (c)  $4+6+9$  has two values:  $(4+6)+9 = 5+9 = 7$ ;  $4+(6+9) = 4+7.5 = 5.75$ . Notice that neither answer equals  $19/3$ , the usual (mathematical) average of 4, 6, and 9.

13. Smallest Prime  $\times A$  means “the smallest prime number bigger than  $A$ ,” where  $A$  is a rational number less than or equal to 200.

*Comments*

- (a) This variation does not rule out using  $\times$  for multiplication. In the Goal or Solution, the meaning of an  $\times$  cube will usually be clear from the context since smallest prime is a unary operation and multiplication is a binary operation. For example, the Goal  $4 \times \times 6$  has only one interpretation:  $4 \times (\times 6)$ , which is  $4 \times 7 = 28$ .
- (b) For the Smallest Prime variation,  $\times$  applies just to the numeral immediately behind it by default unless the Equation-writer indicates otherwise by grouping symbols. See section VII-B-6 for examples.

*Examples*

- (a)  $\times 7 = 11$ , the smallest prime number bigger than 7.
- (b)  $\times(9 \div 2) = 5$ , the smallest prime bigger than 4.5.
- (c)  $\times(0 - 3) = 2$ , the smallest prime bigger than  $-3$ . (Note: 1 is not prime.)
- (d)  $\times \times 5 = \times(\times 5) = \times 7 = 11$ .
- (e)  $\times \sqrt{49} = \times 7 = 11$ .  $\times \sqrt{67}$  is undefined because  $\sqrt{67}$  is not a rational number.
- (f) In the expression  $2 \times \times 5$ , the first  $\times$  means multiplication and the second means smallest prime. The value of this expression is  $2 \times (\times 5) = 2 \times 7 = 14$ .
- (g) In the expression  $\times 5 \times 7$ , by default, the first  $\times$  means smallest prime and the second means multiplication. So  $\times 5 \times 7 = (\times 5) \times 7 = 7 \times 7 = 49$ . To obtain the smallest prime bigger than 35, the Equations-writer must put  $\times(\times 5 \times 7)$ , which equals 37.
- (h) There is no limit to the number of consecutive  $\times$ 's in an expression, especially with the Multiple Operations variation also in effect. Thus  $\times \times \times 9 = \times \times (\times 9) = \times(\times 11) = \times 13 = 17$ .
- (i) See section VII-B-6 for examples of the default grouping when  $\times$  is used for smallest prime.

14. Percent  $\text{↯}$  (upside-down radical) means “percent of.” That is,  $A \text{↯} B = A\%$  of  $B$  where  $A$  and  $B$  are numbers. In the Goal or Solution,  $A$  and/or  $B$  may be a two-digit numeral.

*Examples*

- (a)  $25 \text{↯} 16 = 25\%$  of  $16 = 0.25 \times 16 = 4$ .
- (b)  $6 \text{↯} 8 = 6\%$  of  $8 = 0.06 \times 8 = 0.48$ .
- (c) In a Solution,  $(8 - 3) \text{↯} (4 + 2) = 5\%$  of  $6 = 0.05 \times 6 = 0.3$ .
- (d) If the Decimal Point variation (see below) is also in effect, an expression like  $1.5 \text{↯} .25$  is legitimate in an Equation and equals  $1.5\%$  of  $0.25 = 0.015 \times 0.25 = 0.00375$ . Similarly,  $25 \text{↯} (1.5 \times 2) = 25\%$  of  $3 = 0.75$ . And  $12.5 \text{↯} 16 = 2$ .

15. Decimal Point  $\wedge$  (or  $*$ ) may represent a decimal point. If so used in the Goal or Solution, an  $\wedge$  (or  $*$ ) may be combined with at most *three* digits to form a numeral. When used as a decimal,  $\wedge$  (or  $*$ ) takes precedence over all other operations.

*Comment* This variation does not rule out using  $\wedge$  (or  $*$ ) for exponentiation. Therefore, Equation-writers are encouraged to write a decimal point instead of  $\wedge$  (or  $*$ ) when they want to use  $\wedge$  (or  $*$ ) as a decimal point. Also one  $\wedge$  (or  $*$ ) may be used as a decimal point and another for exponentiation. If  $\wedge$  (or  $*$ ) is used as a decimal point, this must be indicated in writing in the Equation. (See Appendix A.)

*Examples – in each case,  $\wedge$  may be replaced by  $*$  for older games.*

- (a)  $2^\wedge 5$  means either 2.5 or  $2^5$ ;  $3^\wedge 0$  means either 3.0 or  $3^0$ . The Equation-writer must indicate whether the decimal interpretation is desired. One way to do this is to write 2.5 or 3.0 rather than  $2^\wedge 5$  or  $3^\wedge 0$ .

- (b)  $2^4 \times 2 = 2.4 \times 2$  or  $2^8$  or  $2^4 \times 2$ ; it does *not* mean 2.8. That is, it may *not* be grouped as  $2.(4 \times 2)$ . Similarly, with Factorial,  $4^3!$  may *not* be interpreted as  $4.(3!)$  or  $4.6$ .  $4^3!$  has no defined interpretation. Also,  $(6^!)!$  is acceptable but not  $(6!)^!$ .
- (c)  $12^5$  means either 12.5 or (in the Goal only unless the Two-digit Numerals variation has been chosen)  $12^5$ ;  $1^25$  means 1.25 or (in the Goal only unless the Two-digit Numerals variation has been chosen)  $1^{25}$ .
- (d)  $15^0$  means either 15.0 or (in the Goal only unless the Two-digit Numerals variation has been chosen)  $15^0$ .
- (e) In the Goal or Solution,  $255^!$  means 255 and  $^!050$  means .05.
- (f)  $15^25 = 15^{25}$  (in the Goal only unless the Two-digit Numerals variation has been chosen) but has no legitimate interpretation as a decimal since  $^!$  is used with *four* digits.
- (g)  $122^!5$ ,  $1^!225$ ,  $^!1225$ , and  $1225^!$  have no interpretations as decimals or powers.
- (h) The expression  $^!37^!5$  may *not* be interpreted as  $.37 \frac{1}{2}$  and has no defined interpretation in Elementary Division.
- (i) The “digits” are the symbols 0,1,2,3,4,5,6,7,8, and 9. A digit turned sideways or upside-down is no longer a digit. Therefore, with Sideways or Upside-down in effect, you may *not* use an expression like  $^!0$ ,  $0^!$ ,  $^!7$ , or  $7^!$  and interpret the  $^!$  as a decimal point.

## B. Middle Division Variations (grade 8 and below)

The following five Elementary variations are also played in Middle Division. Note that 0 wild is different from the Elementary version. (See the comments and examples after each variation in the Elementary list in addition to any comments below.)

1. Sideways A cube representing a non-zero number may be used sideways in the Goal or Solution to equal the reciprocal of that number.
2. Upside-down A cube representing a number may be used upside-down in the Goal or Solution to equal the additive inverse of that number.

*Comment* When both Sideways and Upside-down are chosen for a shake, a numeral cube used in the Solution (but not the Goal) may be used *both* sideways and upside-down.

3. 0 Wild The 0 cube may represent any *symbol* on the cubes, but it must represent the same symbol everywhere it occurs (Goal and Solution). Each Equation-writer must specify in writing the interpretation of the 0 cube if it stands for anything other than 0 in the Equation.

*Example* If a player interprets 0 in the Goal as  $x$ , then any 0 in that player’s Solution must also be an  $x$ .

*Comments*

- (a) If 0 Wild and Multiple Operations are both chosen, 0 may be used multiple times in a Solution only if it stands for an operation sign, not a numeral.
  - (b) If 0 Wild and Factorial (see below) are both in effect, 0 may not stand for ! because ! is not a symbol on the cubes.
  - (c) If Base eight is also chosen (see below), 0 may not represent the digits “8” or “9.” If Base nine is chosen, 0 may not represent “9.”
  - (d) With Number of Factors (see below), one 0 may mean number of factors and another 0 may be multiplication since 0 is the symbol  $\times$  in both cases. The same principle applies to  $^!$  for either exponent or decimal point and  $\sqrt{\quad}$  for root or percent.
4. Factorial There are two occurrences of the factorial operator (!) available to be used in the Solution and/or the Goal as the Equation-writer chooses to use them. All uses of ! in the Equation must be in writing.
  5. Multiple Operations Any operation sign not in Forbidden (or the Goal) may be used many times in any Solution. If the Factorial variation is also chosen for the

shake, an unlimited number of factorial operators may be used in each Solution. At most two factorials may be used in the Goal.

The following variations may also be chosen every year in Middle Division.

6. **Base  $m$**  Both the Goal and the Solution must be interpreted as base  $m$  expressions, where the player choosing this variation specifies  $m$  for the shake as eight, nine, or ten. Two-digit numerals are allowed in Solutions.

*Examples – in each case,  $\wedge$  may be replaced by  $*$  for older games.*

- (a) For Base eight,  $37 + 5 = 6 \wedge 2$  is a correct Equation. Any Solution or Goal containing the digit “8” or “9” is an illegal expression.
- (b) For Base nine,  $34 + 5 = 6 \wedge 2$  is a correct Equation. Any Solution or Goal containing the digit “9” is an illegal expression.
- (c) In Base eight, a Goal like  $3 + 8$  or 39 should be challenged Impossible. A Goal like 39 is also illegal in Base nine.

7. **Multiple of  $k$**  A Solution must not equal the Goal but must differ from the Goal by a non-zero integer multiple of  $k$ , where the player choosing this variation specifies  $k$  for the shake as a whole number from six to eleven, inclusive. The Goal must not be greater than  $1000_{\text{ten}}$  or less than  $-1000_{\text{ten}}$ .

*Example* If  $k = 6$  and the Goal is 5, then a Solution must equal 11, 17, 23, 29, and so on, or  $-1$ ,  $-7$ ,  $-13$ ,  $-19$ , and so on. A Solution equal to 5 is incorrect.

*Comment* Multiple of  $k$  does not require any special writing of the Goal by an Equation-writer. As always, write the interpretation of the Goal. You must not indicate the multiple of  $k$  difference.

**The following Elementary odd-year variation will be played again in Middle in 2020-21.** (See the comments and examples after this variation in the Elementary list in addition to any comments and examples below.)

8. **Number of Factors  $x_A$**  means “the number of counting number factors of  $A$ ,” where  $A$  is a counting number and  $A$  is less than or equal to  $1000_{\text{ten}}$ .

*Example* If 0 Wild is chosen along with Number of Factors, one 0 may represent number of factors while another 0 may be multiplication since 0 is the symbol  $x$  in both cases.

**The following two Middle odd-year variations will be played in 2020-21.**

9. **Exponent** Any numeral on a \_\_\_ cube may be used as an exponent without being accompanied by an  $\wedge$  (or  $*$ ) cube. The player selecting this variation fills the blank in the previous sentence with one of the colors red, blue, green, or black.

*Examples*

- (a) If the chosen exponent color is red, the Goal 253, where the 3 is red, must mean  $25^3$  since three-digit numerals are illegal.
- (b) If blue is the chosen color, a Solution like  $5^2$ , where the 2 is on a blue cube, is legal.
- (c) If red is the chosen color, an expression like 523 [2 and 3 red] must be interpreted as either  $52^3$  or  $(5^2)^3$ , which is  $5^6$ . It may *not* be interpreted as  $5^\wedge(2^\wedge 3)$  or  $5^8$  because the 2 by itself is no longer an exponent of the 5. 523 may also *not* be interpreted as  $5^{23}$ .

*Comments*

- (a) The exponent of the selected color applies to just the numeral in front of it unless grouping symbols are used. See section **VII-B-6** for examples.
- (b) If Factorial is also chosen, a ! may be placed behind an exponent. So with red exponent, a Goal of 43 (red 3) may be interpreted as 43,  $4^3$ ,  $4^{3!}$ ,  $4!^3$ , or  $4!^{3!}$ .
- (c) If a player selects Exponent when no digits of the selected color were rolled, that player is penalized one point and must pick another variation. Also, if Base Eight is chosen and the only black digits are 8s and 9s, it is illegal to select Black Exponent because the variation has no way of affecting the shake unless wild cube is in effect.

10. Powers of the Base 1 (one) may represent any integral power of ten. (If 1 is used in a two-digit numeral, it stands for 1.) If Base  $m$  is also chosen, 1 represents any integral power of  $m$ .

*Examples*

- (a) For Base ten,  $9 + 1$  may be interpreted as  $9 + 1$  (since  $10^0 = 1$ ),  $9 + 10$ ,  $9 + 100$ ,  $9 + 1000$ , and so on, or as  $9 + 0.1$  (since  $10^{-1} = 0.1$ ),  $9 + 0.01$ ,  $9 + 0.001$ , and so on.
- (b) If Base eight is chosen, then 1 may represent one, eight, sixty-four, and so on, or one-eighth, one-sixty-fourth, and so on. For Base nine, 1 represents one, nine, eighty-one, one-ninth, etc.

**These three Elementary even-year variations will be played again in Middle in 2021-22.** (See the comments and examples after each variation in the Elementary list in addition to any comments and examples below.)

11. Average + shall not represent addition; instead it shall represent the operation of averaging *two* numbers.

*Example* If 0 Wild is chosen along with Average, any 0 that represents + must mean average.

12. Percent  $\text{—}^{\wedge}$  means “percent of.” That is,  $A \text{—}^{\wedge} B = A\%$  of  $B$  where  $A$  and  $B$  are numbers. In the Goal or Solution,  $A$  and/or  $B$  may be a two-digit numeral.

If Base  $m$  and Percent are both chosen, the meaning of percent (“per 100”) changes with the base. “Percent” means “per sixty-four” for Base eight and “per eighty-one” for Base nine.

*Example* In Base eight,  $60 \text{—}^{\wedge} 11 = (60_{\text{eight}} \div 100_{\text{eight}}) \times 11_{\text{eight}} = (48_{\text{ten}} \div 64_{\text{ten}}) \times 9_{\text{ten}} = (3_{\text{ten}} \div 4_{\text{ten}}) \times 9_{\text{ten}} = 27_{\text{ten}} \div 4_{\text{ten}} = (6 + 3/4)_{\text{ten}} = (6 + 6/8)_{\text{ten}} = 6.6_{\text{eight}}$

13. Decimal Point  $\wedge$  (or  $*$ ) may represent a decimal point. If so used in the Goal or Solution, a  $\wedge$  (or  $*$ ) may be combined with at most *three* digits to form a numeral. When used as a decimal,  $\wedge$  takes precedence over all other operations.

*Examples*

- (a) A Goal of  $4^{\wedge}5$  (or  $4^{*}5$ ) can equal either  $4.^5 = 1024$  or  $4.^5 = \sqrt[4]{4} = 2$ .
- (b) If Base eight is also chosen with Decimal Point,  $4.2_{\text{eight}} = 4 + 2/8 = 4 \frac{1}{4}_{\text{ten}}$ .  
Similarly,  $6.42_{\text{eight}} = 6 + 4/8 + 2/64 = 6 + 1/2 + 1/32 = 6 \frac{17}{32}_{\text{ten}}$ .
- (c) With Factorial,  $4^{\wedge}3!$  may not be interpreted as  $4.(3!)$  or  $4.6$ .  $4^{\wedge}3!$  has no defined interpretation using the Decimal Point variation. It does have a defined interpretation as  $4^{\wedge}(3!)$  or  $4^{\wedge}6$ .
- (d) In Base nine,  $5.3_{\text{nine}} = 5 + 3/9 = 5 \frac{1}{3}_{\text{ten}}$ .  
 $7.16_{\text{nine}} = 7 + 1/9 + 6/81 = 7 \frac{15}{81} = 7 \frac{5}{27}_{\text{ten}}$ .

*Comment* If 0 Wild and Decimal Point are both chosen, 0 may represent a decimal point. Also, one 0 in the Equation may be decimal point and another 0 may be exponentiation since 0 is the symbol  $\wedge$  (or  $*$ ) in both cases.

### C. Junior Division Variations (grade 10 and below)

The following two variations are in effect for *all* shakes in Junior and Senior Divisions. (See the examples and comments for each variation in the Elementary list.)

1. Sideways A cube representing a non-zero number may be used sideways in the Goal or Solution to equal the reciprocal of that number.
2. Upside-down A cube representing a number may be used upside-down in the Goal or Solution to equal the additive inverse of that number.

*Comment* A numeral cube used in the Solution (but not the Goal) may be used *both* sideways and upside-down.

The following Middle variations may also be chosen in Junior Division. Note that 0 Wild and Base  $m$  are expanded. (See the comments and examples after each variation in the Middle and Elementary lists in addition to any comments below.)



3. 0 or x Wild The 0 or x cube may represent any symbol on the cubes, but it must represent the same symbol everywhere it occurs (Goal and Solution). Each Equation-writer must specify in writing the interpretation of the 0 or x cube if it stands for anything other than itself in the Equation. The player selecting this variation specifies whether 0 or x (but not both) is wild for the shake.

*Examples for x Wild (for 0 Wild, see the examples for Elementary and Middle Divisions)*

- (a)  $x - (x \div 3) = 4$ , where both x's stand for 6, is a correct Equation.  
 (b)  $(9 \times 3) \times 5 = 1$ , where both x's stand for  $-$ , is a correct Equation.  
 (c)  $x - (3 \times 2) = 2$ , where the first x is 7 and the second x is  $+$ , is not a correct Equation.  
 (d) An x in the Goal and any x in the Solution must represent the same symbol. For example, the Equation  $(4 \overset{\uparrow}{\underset{x}{^}} 2) - 2 = 2 \times 7$  is incorrect since x stands for  $*$  (or  $*$ ) on the left side and for multiplication (by default) in the Goal.

4. Powers of the Base 1 (one) may represent any integral power of ten. (If 1 is used in a two-digit numeral, it stands for 1.) If Base  $m$  is also chosen, 1 represents any integral power of  $m$ .
5. Base  $m$  Both the Goal and the Solution must be interpreted as base  $m$  expressions, where the player choosing this variation specifies  $m$  for the shake as eight, nine, eleven, or twelve. Two-digit numerals are allowed in Solutions. For bases eleven and twelve,  $\overset{\wedge}{\text{}}$  (or  $*$ ) may be used for the digit ten; in base twelve,  $\surd$  may be used for the digit eleven.

If Base Eleven (or Twelve) is chosen, an  $\overset{\wedge}{\text{}}$  (or  $*$ ) may be used sideways to represent one-tenth. If the  $\overset{\wedge}{\text{}}$  (or  $*$ ) is part of a two-digit numeral, it may not be interpreted as sideways. If an  $\overset{\wedge}{\text{}}$  (or  $*$ ) is a one-digit numeral in the Goal, the Equation-writer may interpret the  $\overset{\wedge}{\text{}}$  (or  $*$ ) as right-side up or sideways regardless of the way the  $\overset{\wedge}{\text{}}$  (or  $*$ ) is physically placed in the Goal. In a Solution, the writer must clearly indicate if an  $\overset{\wedge}{\text{}}$  (or  $*$ ) is sideways.

Note: For older games with  $\overset{\wedge}{\text{}}$  on the cubes instead of  $\overset{\wedge}{\text{}}$ , a  $\overset{\wedge}{\text{}}$  must *never* be placed sideways or upside-down in the Goal. This is consistent with the principle that  $\overset{\wedge}{\text{}}$  inherits all the properties of  $\overset{\wedge}{\text{}}$ , one of which is that  $\overset{\wedge}{\text{}}$  is ambiguous with regard to sideways and upside-down. If  $\overset{\wedge}{\text{}}$  is placed sideways or upside-down in the Goal, an opponent should challenge Impossible. If a player writes  $\overset{\wedge}{\text{}}$  upside-down or sideways in the Equation, it is interpreted as the player has written it.

*Comments*

- (a) In bases eleven and twelve,  $\overset{\wedge}{\text{}}$  (or  $*$ ) may still represent exponentiation; in base twelve,  $\surd$  may still represent root. If the interpretation of an  $\overset{\wedge}{\text{}}$  (or  $*$ ) or  $\surd$  is not clear from the context of the Solution, the Equation-writer must indicate which meaning is desired so as to eliminate any ambiguity in the Solution or the Goal. (See Appendix A.)  
 (b) If Powers of the Base is chosen with Base Eleven, 1 may mean one, eleven, one-hundred twenty-one, and so on, or one-eleventh, one one-hundred twenty-first, and so on. If Powers of the Base is chosen along with Base Twelve, 1 may mean one, twelve, one-hundred forty-four, and so on, or one-twelfth, one one-hundred-forty-fourth, and so on.  
 (c) If 0 (or x) wild is chosen along with Base Eleven or Twelve, a wild cube may represent  $\overset{\wedge}{\text{}}$  (or  $*$ ) for ten or  $\surd$  for eleven (or exponentiation or root as long as each wild cube represents the same symbol).

6. Multiple of  $k$  A Solution must not equal the Goal but must differ from the Goal by a non-zero integer multiple of  $k$ , where the player choosing this variation specifies  $k$  for the shake as a whole number from six to eleven, inclusive.
7. Multiple Operations Any operation sign not in Forbidden (or the Goal) may be used many times in any Solution. If the Factorial variation is also chosen for the shake, an unlimited number of factorial operators may be used in each Solution. At most two factorials may be used in the Goal.

8. Factorial There are two occurrences of the factorial operator (!) available, like parentheses, to be used in the Solution and/or the Goal as the Equation-writer chooses to use them. All uses of ! must be in writing. However, if Multiple of  $k$  is also chosen for the shake, no factorial may be placed in the Goal.
9. Number of Factors  $x^A$  means “the number of counting number factors of  $A$ ,” where  $A$  is a counting number.

*Comment* Since there is no limit to the size of  $A$ , it is possible to present an Equation that is uncheckable. For example, with Multiple of  $k = 11$  and Factorial:  $x(8!! + 1) = 56$ . Any such Equation that cannot be verified (even with a **handheld** scientific calculator) by opponents and judges as correct or incorrect *will be ruled incorrect*. Citing software such as Wolfram *Mathematica* will not be accepted as justification for the value of the Goal or Solution.

Furthermore, with Number of Factors, Goals of the form  $x[(a^b) \pm c]$  or  $x[\pm(a^b)]$  where  $c \neq 0$  (and their equivalents using fractional roots or the Exponent variation) are prohibited since the value cannot be calculated by opponents using pencil and paper in a reasonable amount of time.

#### Examples

Goal	Interpretations
$x7^9+3$	The Goal may be grouped as $[x(7^9)]+3$ or $x[7^9(9+3)]$ , which are not prohibited. If a player interprets the Goal as $x[(7^9)+3]$ , his Equation is <i>automatically incorrect</i> .
$x \overset{\uparrow}{\text{space}} 7^9+3$	The interpretation $[x(7^9)]+3$ is ruled out by the grouping, but $x[7^9(9+3)]$ is acceptable. An Equation that interprets the Goal as $x[(7^9)+3]$ is automatically incorrect.
$x \overset{\uparrow}{\text{spaces}} 7^9 + 3$	The only legal interpretation of this Goal is $[x(7^9)]+3$ , which is acceptable.
$x \overset{\uparrow}{\text{spaces}} 3 + 7^9$	Because of the spacing, the only interpretation of this Goal is $x[(3+(7^9))]$ , which is not allowed. So an opponent should challenge Impossible.
$x \overset{\uparrow}{\text{black exp.}} 79+3$	If an Equation-writer interprets the 9 as an exponent, then the only legal interpretation is $[x(7^9)]+3$ .
$x \overset{\uparrow}{\text{black exp.}} \sqrt{7}+3$	The only legal interpretation is $[x(\sqrt{7})]+3$ .
$xx \overset{\uparrow}{\text{black exp.}} 79+3$	$x[x[(7^9)+3]]$ is not a legal interpretation of this Goal.
$x \overset{\uparrow}{\text{green exp.}} (55-64)$	Interpreting this Goal as $x(5^5-6^4)$ or $x(5^5-64)$ is illegal.
$x \overset{\uparrow}{\text{pob}} 1+7$	The Goal may <i>not</i> be interpreted as $x(10^n+7)$ where $n > 1$ .

10. Exponent Any numeral on a \_\_\_ cube may be used as an exponent without being accompanied by a ^ (or \*) cube. The player selecting this variation fills the blank in the previous sentence with one of the colors red, blue, green, or black.

#### D. Senior Division Variations (grade 12 and below)

Players may choose any of the Junior variations (except for the two which are in effect for every shake) plus the following.

11. Imaginary | (sideways minus) shall represent the **imaginary number**  $i$  (such that  $i^2 = -1$ ). | may be placed immediately before or after a **numeral** without the  $x$  sign. When this variation is selected, all roots of  $a^b$ , where  $a$  is a **complex number** and  $b$  is a **rational number**, are available. Each Equation-writer must write  $i$  in the

Equation (Solution and/or Goal) for the Imaginary unit. Note: This variation may be chosen even if no – signs (or wild cubes) are in Resources.

With this variation, the rules for legal expressions in section III-C are amended to allow expressions like  $a ^ (b \div c)$  where  $a$  is a negative real number,  $b$  is an integer, and  $c$  is an even non-zero integer (when  $b \div c$  is reduced to lowest terms). Furthermore, in a Goal or Solution, any expression of the form  $a ^ (b \div c)$  (where  $c \neq 0$ ) may equal any one of the complex roots equal to the expression. An Equation-writer using such an expression must indicate in writing which one of the complex roots the expression equals. [See comment (e) and examples (f) and (g) and below.]

If  $i$  is multiplied by a number before or after it, as allowed by this variation without a  $\times$  sign, the implied multiplication takes precedence over any other operations in the expression (in the absence of parentheses). See the examples below.

A player may use an  $\times$  before or after  $i$ . In that case, the explicit multiplication involving the  $i$  also takes precedence over other operations.

*Comments – In each case, ^ may be replaced by \* for older games.*

- (a) “Numeral” means “any expression that names a number, real or otherwise.”  $i$  itself is a numeral, which means that expressions like  $ii$ ,  $iii$ , and so on, are legal and equal  $i^2$ ,  $i^3$ , etc.
- (b) An expression like  $4^i$  is *not* allowed because the exponent is not a real number. However,  $i^4$  is permitted.
- (c)  $|$  is ambiguous in the Goal as regards right-side up and upside down. The default is right-side up. So any  $|$  in the Goal may be interpreted as  $i$  or  $-i$ . However,  $|$  may *not* be interpreted as sideways. But nothing is lost mathematically because  $1/i = -i$ , which can be obtained by upside-down  $|$ .
- (d) If 0 or  $\times$  wild is also chosen, any wild cube may be used as  $|$  to equal  $i$  or  $-i$ . Another wild cube may also be used for  $-$  in the same Equation since it stands for the same *symbol* in both cases.
- (e) With  $| = i$ , the Goal and the Solution may equal non-real (complex) numbers.
- (f) If Multiple Operations is also chosen,  $|$  may *not* be used multiple times because it represents the numeral  $i$  and not an operation.
- (g) A Goal like  $2|^88$  may *not* be interpreted as  $2^{(i^88)}$  since the variation allows a numeral in front of  $|$  without  $\times$  but *not* in front of an expression like  $|^88$  without a  $\times$  sign. Similarly, the expression  $2|^8$  in the Solution must be interpreted as  $(2|^8)$  and not  $2^{(|^8)}$  whether the Equation-writer includes the parentheses around  $2|$  or not.

*Examples – In each case, ^ may be replaced by \* for older games.*

- (a)  $2i$  may be represented in a Goal or Solution by either  $2|$  or  $|2$ .  $\nmid$  or  $|\nmid$  is  $\pm 0.25i$ .  $\xi|$  or  $|\xi$  is  $\pm 3i$ .
- (b)  $3 + 4i$  may be represented as either  $3 + 4|$ ,  $3 + i4$ ,  $4i + 3$ , or  $i4 + 3$ .
- (c)  $(3+4)|$  or  $|(3+4)$  equals  $\pm 7i$ .
- (d)  $i^6$  may be represented as  $|^6$ .
- (e)  $14i$  may be represented as  $7|2$ .
- (f) A Goal of  $4 ^ (1 \div 2)$  may equal  $2$  or  $-2$ . A Goal of  $16 ^ \nmid$  may equal  $2$ ,  $-2$ ,  $2i$ , or  $-2i$ . Each Equation-writer must eliminate any ambiguities in his Equation.
- (g) Suppose the Goal is  $0 - 8|$ . Then a Solution might be this:  $(8 \times 2) ^ (3 \div 4)$ . The Equation-writer must indicate in an unambiguous manner which root is being used. One way is this:

$$\frac{(8 \times 2) ^ (3 \div 4)}{(2i)^3}$$

*Examples of default interpretations of  $\sqrt{\quad}$  expressions*

Expression	Default Value	Expression	Default Value	Expression	Default Value
(a) $\sqrt{4}$	2	(b) $3\sqrt{8}$	2	(c) $3\sqrt{8}$	-2
(d) $4\sqrt{81}$	3	(e) $\sqrt{\nmid}$	None	(f) $\sqrt{i}$	None

If the Equation-writer wishes a value other than the default, the writer must indicate the value, such as  $-2$  for  $\sqrt{4}$  or  $-1+(\sqrt{3})i$  for  $3\sqrt{8}$ .

NOTE: Any root obtained by means of a fractional exponent has *no* default value. So  $4^{\sqrt{2}}$  does *not* default to 2. The writer must indicate which value, 2 or -2, is desired.

*Examples of the default order of operations with  $| = i$*

- (a)  $3+2i$                        $3+(2i)$                       (b)  $i2+3$                        $(i2)+3$

- |                  |                 |                 |               |
|------------------|-----------------|-----------------|---------------|
| (c) $i i^2$      | $(i i)^2$       | (d) $5i 2-7$    | $(5i2) -7$    |
| (e) $3+2xi$      | $3+(2xi)$       | (f) $i\sqrt{4}$ | $i(\sqrt{4})$ |
| (g) $\sqrt{9+i}$ | $(\sqrt{9})+ i$ | (h) $5xi-i4$    | $(5xi)-(i4)$  |

- (i) The expression  $\sqrt{9}i$  contains a clash of defaults. The rule for  $\sqrt{\quad}$  says it must be interpreted as  $(\sqrt{9})i$  but the default for  $|$  says it must be  $\sqrt{(9i)}$ . So the Equation-writer must indicate which interpretation. The same is true with Exponent for the expression  $4i^3$  (with 3 the Exponent color) and, with Number of Factors, for  $x4i$ .
- (j) If an expression like  $3+2i$  is in the Goal, a player may interpret it as  $(3+2)i$  but must write the parentheses on the right-side of the Equation.

- 12. Decimal in Goal** Each Equation-writer may determine where decimal points occur in the Goal. Three consecutive digits may be placed in the Goal, but a decimal point must be placed in front of them, between two of them, or after the third digit in the Goal of any Equation.

*Examples*

- (a) A Goal of 20 may be interpreted as 20, 2.0, or 0.2.  
 (b) A Goal of  $2 \times 3$  may be  $2 \times 3$ ,  $.2 \times 3$ ,  $2 \times .3$ , or  $.2 \times .3$ .  
 (c) 125 in the Goal *must* have a decimal point inserted to give: .125, 1.25, 12.5, or 125.

*Comment* A decimal point may be placed in front of only a right-side up digit. Therefore, no decimal point may be placed in front of a sideways or upside-down cube or in front of  $i$  (since  $i$  is not a digit). If a decimal point is placed to make  $.3|$ , this is  $.3 \times i$ .

- 13. Log**  $\cdot|$  (sideways  $\div$ ) represents the log operation. Thus, if  $a$  and  $b$  are positive real numbers ( $b \neq 1$ ),  $a \cdot| b$  equals  $\log_b a$ .

*Examples*

- (a)  $[(6 \times 4) + 1] \cdot| 5 = \log_5 25 = 2$ .  
 (b)  $3 \cdot| 2 = \log_2 3$ , which is an irrational number.  
 (c)  $a \cdot| 1$  is undefined for any value of  $a$ .  $0 \cdot| 5$ ,  $(0 - 1) \cdot| 1$ ,  $(0 - 8) \cdot| (3 - 1)$ , and  $4 \cdot| (0 - 2)$  are all undefined.

## Appendix A: Ways of Indicating What Cubes Mean in Solutions

### Some General Principles

1. Each Equation-writer must not only create a correct Solution but must also clearly *communicate* the Solution to the Checker(s) so that they can verify that the Solution equals the writer's interpretation of the Goal.
2. An Equation-writer must remove all ambiguity from the Solution and Goal so that there is no question that the two sides of the Equation are equal. Removing ambiguity has two components: **(a)** using grouping symbols to specify the order of operations and **(b)** indicating the value of any cube on either side of the Equation that may have multiple meanings. It is component **(b)** that is the subject of this Appendix, although in some cases placement of parentheses may clarify the meaning of a symbol.
3. In general, an Equation-writer should write in the main line of the Equation the *value* of each cube that represents something other than its "face value." For example, write the value of the wild cube in the Equation and indicate above or below that the value comes from a wild cube. This principle is implemented in the *Recommended* methods in this Appendix. The reverse technique, listing the wild cube in the Equation and indicating its value from the side, is *Acceptable* only.
4. If the Equation-writer does a good job, the Checker(s) should not have to ask a single question about the Equation. It should be clear what each symbol means and which interpretation of the Goal the writer has chosen.
5. In general, arrows are preferable for indicating what a cube means, like this.

0  
↓  
7

The arrow can come from above or below and can point to or from the symbol in the Solution. Writing the meaning just above or just below the mainline of the Equation without an arrow is acceptable but has the drawback that the two digits may overlap and confuse rather than clarify. This should not be the case where several letters like sw or ud indicate the meaning; hence an arrow is not needed (although acceptable) in these situations.

### Explanation of Terms

Methods of writing entire Solutions or individual symbols in Solutions are divided into three categories in the list in this Appendix: *Recommended*, *Acceptable*, and *Unacceptable*. Here are the intended meanings of these terms.

<i>Recommended</i>	This is the method that should be taught to players.
<i>Acceptable</i>	Any method in this category will be accepted by judges as correct.
<i>Unacceptable</i>	These methods will cause the Solution to be ruled incorrect by judges.

Last update 6/27/19





Division	Variations	Examples	Default
EM	Decimal point	<p><i>Recommended:</i> .23, 23.+5, 2.3 (that is, write a decimal point, not ^ or *)</p> <p><i>Acceptable:</i> <math>\overset{\text{dp}}{\wedge}23</math>, <math>\overset{\uparrow}{\wedge}23</math>, <math>\overset{\uparrow}{\wedge}23</math> (or same methods with indication from above)</p> <p>In most cases, context determines what ^ means; for example:  <math>\overset{\uparrow}{\wedge}23 \rightarrow</math> decimal point (continued)  <math>23^{\wedge}+5 \rightarrow</math> decimal point  <math>2^{\wedge}3 \rightarrow</math> default to power unless player writes 2.3 or uses other methods above.  <math>4^{\wedge}\wedge 5</math> must be <math>4.5</math> in Elem. but is ambiguous in Middle.  <math>\wedge 125</math> can mean only .125.</p>	<p>If context (placement of the symbol) does not determine, <i>default to exponentiation</i>. For order of operations, decimal point takes precedence. (See the examples listed after the variation in Elementary variations section of Tournament Rules.)</p>
EM	Percent	<p><i>Recommended:</i> 50%34 or <math>50 \overset{\uparrow}{\surd} 34</math></p> <p><i>Acceptable:</i> <math>50 \overset{\uparrow}{\surd} 34</math> or second method above but point from above or no arrow (or any acceptable method for upside-down cube – see page <b>A1</b>).</p>	<p><math>\surd</math> is right-side up (that is, root).</p>
MJS	0 or x wild	<p><i>Recommended:</i> 7+3 or <math>\overset{\uparrow}{0} \overset{\downarrow}{7} \overset{\uparrow}{\times} 3</math></p> <p><i>Acceptable:</i> Same as above with 0 or wc and symbol interchanged and/or no arrow. Also 0 = 7, x = +, etc. next to the Equation.</p>	<p>If 0 is placed so that it must be a digit, it defaults to 0. There is <i>no default meaning for 0 as an operation</i>.</p>
MJS	Exponent	<p><i>Recommended:</i> <math>5^2</math>, <math>(4+1)^2</math>, etc.</p> <p><i>Acceptable:</i> <math>5^2</math>, exp ace (“any color exp.”)</p> <p><math>\overset{\uparrow}{\wedge} 5^2</math> <math>\overset{\downarrow}{\wedge} 5^2</math></p> <p>or with no arrow or with “re” for red exponent, etc.</p> <p><i>Unacceptable:</i> <math>5^{\wedge}2</math> or <math>5^{\wedge}2</math>; that is, no exponent sign of any kind.</p>	<p>Two consecutive digits (with the second the exponent color) in the Goal and in Solution with base <math>m</math> defaults to a two-digit number (no exponent). A Goal like 723 (red 3 with red exp.) defaults to <math>72^3</math> (in Solution also with base <math>m</math>).</p>



Division	Variations	Examples	Default
MJS	0 or x wild, blue exponent	<p><i>Recommended:</i> For a Goal of 750 or 75x with blue 0 or x, write: <math>75^3</math>, <math>75^2</math>, etc. No further indication is necessary since the wild cube is physically in the Goal. Also, the wild cube has the same meaning if used in the Solution.</p> <p>In the Solution, write the exponent and use any of the methods listed for wild cubes. For example, <math>7^3</math>      <math>7^3</math>      <b>wc</b></p> <p style="text-align: center;"> <math>\uparrow</math>      <math>\uparrow</math>      <math>\downarrow</math>  0      x      <math>7^3</math> </p>	If 0 or x cannot be an exponent, there is no default for a Goal of 750 or 75x (or in Solution with base $m$ ).
MJS	Powers of the base	<p style="text-align: center;"> <math>\downarrow</math>  1  <math>\downarrow</math> </p> <p><i>Recommended:</i> <math>10^3</math>, 100, <u>1000</u>, etc.</p> <p style="text-align: center;"> <math>\uparrow</math>      <b>pob</b>  1 </p> <p><i>Acceptable:</i> 1, 1 (or indicate from above)</p> <p style="text-align: center;"> <math>\uparrow</math>      <math>\uparrow</math>  100    <math>10^2</math> </p>	1 = one
JS	Base 11 or 12	<p>Use of ^ or * and <math>\sqrt{\quad}</math> as digits creates ambiguities. If context does not determine meaning, player must indicate. Examples: In <math>7+^4</math> or <math>4^+7</math>, ^ or * is ten.</p> <p><math>3\sqrt{4}</math> is not ambiguous and equals <math>3^{\sqrt{4}}</math>.</p> <p><math>6^{^2}</math> is ambiguous. With base 12, <math>\sqrt{4+2}</math> is ambiguous.</p> <p><i>Recommended:</i> <math>(6^{\wedge})^2</math> which means <math>(6^{\wedge})^2</math> or <math>6^{(\wedge 2)}</math> for <math>6^{\wedge 2}</math> or <math>6^{\wedge \wedge 2}</math></p> <p style="text-align: center;"> <math>\uparrow</math>      <math>\uparrow</math>  exp.    ten </p> <p>For <math>\sqrt{4+2}</math>, write <math>(\sqrt{4})+2</math> or <math>(\sqrt{4})+2</math> or</p> <p style="text-align: center;"> <math>\uparrow</math>      <math>\uparrow</math>  root    11 or eleven </p> <p><math>\sqrt{(4+2)}</math> For this grouping, <math>\sqrt{\quad}</math> must be root.</p>	Context determines; if context cannot determine, expression is ambiguous.
MJS	Base $m$ , Powers of Base	<p>Side indications of pob may be in either base ten or base <math>m</math> as long as they are <i>all in one base or the other</i>.</p> <p><i>Recommended:</i> <math>(100 \div 4) - (10 + 10)</math></p> <p style="text-align: center;"> <math>\uparrow</math>      <math>\uparrow</math>      <math>\uparrow</math>  1      1      1 </p> <p><i>Acceptable:</i> With base 8,</p> <p style="text-align: center;"> <math>(1 \div 4) - (1 + 1)</math>      or  <math>\uparrow</math>      <math>\uparrow</math>      <math>\uparrow</math>  100      10    10 </p> <p style="text-align: center;"> <math>(1 \div 4) - (1 + 1)</math>      or  <math>\uparrow</math>      <math>\uparrow</math>      <math>\uparrow</math>  64 (or <math>8^2</math>)      8    8 </p> <p><i>Unacceptable:</i> With base 9,</p>	1 = one

Division	Variations	Examples	Default
		$(1 \div 4) - (1 + 1)$ $\begin{array}{ccc} \uparrow & \uparrow & \uparrow \\ 100 \text{ or } 10^2 & 9 & 9 \end{array}$	
JS	x wild	See examples for 0 wild.	x = multiplication if placement of the x allows it to be an operation; also see the note for 0 wild for all divisions on page <b>A1</b> .
S	$  = i$	<p><i>Required:</i> The Equation-writer must write <i>i</i> in the Equation (Solution and/ or Goal) For <math>  = -i</math>, use any of the acceptable methods for indicating upside-down, such as: <math>i</math> or <math>i</math> or <math>i</math>, etc.</p> $\begin{array}{ccc} & \uparrow & \uparrow \\ \text{UD} & & \text{UD} \end{array}$	The default for placement is right-side up.
S	0 or x wild, $  = i$	<p>For 0 or x representing <math> </math> in the Solution, use any method listed for the wild cube on page <b>EA4</b> except that the Equation-writer must write <i>i</i>, not <math> </math>.</p> <p>To indicate <math>0 = i</math> in the <i>Goal</i> 804:</p> <p><i>Recommended:</i> <math>8i4</math> or <math>8(-i)4</math> or the methods for 0 or x wild in Solutions</p> <p><i>Unacceptable:</i> <math>8 4</math>, <math>32i</math>, <math>-32i</math>, and <math>32 </math></p>	0 or x representing $ $ is right-side up.
S	Log	<p><i>Recommended:</i> <math>8 \cdot 2</math></p> <p><i>Acceptable:</i> <math>8 \div 2</math>, <math>8 \div 2</math>, <math>8 \log 2</math>, <math>\log_2 8</math></p> $\begin{array}{cc} \uparrow & \uparrow \\ \log & \text{sw (or any other sw method)} \end{array}$ <p><i>Unacceptable:</i> <math>8 \div 2</math> (<math>\div</math> defaults to division)</p>	$\div$ = division
S	Decimal in Goal	<p><i>Recommended:</i> Write a decimal point to indicate placement. For example, if the Goal is <math>15x8</math>, write <math>1.5x8</math>, <math>15x.8</math>, <math>.15x.8</math>, etc.</p> <p><i>Acceptable:</i> <math>15x8</math>, <math>15x8</math>, <math>15x8</math>, etc.</p> $\begin{array}{cccc} \uparrow & & \uparrow & \uparrow & \uparrow \\ \text{dp} & & \text{dec.pt.} & & \end{array}$ <p>(Notice how carefully the arrow must be drawn to the exact place where the decimal point goes.)</p>	No decimal point in the Goal

## Glossary of Terms for Equations®

Additional minute	The extra 60 seconds a player receives to complete what he must do after the first time limit has expired; by the end of this extra minute, the player must complete the action or receive a second -1 and forfeit what he is doing
Additive inverse	The opposite of a number; that is, a pair of numbers are additive inverses if they have the same absolute value but opposite signs (+/-)
Adventurous Equations	The form of Equations in which players choose variations at the beginning of each shake; all four divisions play this form of the game
Adventurous variation	One of a list of special rules for each shake; each player must select one or two rules from the list for the appropriate division
Ambiguous Goal	A Goal that has more than one legal interpretation
Ambiguous Solution	A Solution that has more than one legal interpretation
Averaging	The operation of taking one half the sum of two numbers
Base	<b>(a)</b> A number that is raised to a power; <b>(b)</b> an integer greater than one whose powers provide the place values for a numeration system
Basic Equations	The form of Equations in which adventurous variations are not used
“Bonus”	The word a Mover must say before making a bonus move
Bonus move	A move to Forbidden which a player makes after saying the word “Bonus” and before making another move to any one of the three sections of the mat
Challenge	A claim by an opponent that a Solution is possible Now or that it is Impossible or that the Goal-setter’s No Goal declaration is incorrect
Challenge block	An object that a Challenger must pick up in order to challenge
Challenger	The player who makes a legal Challenge
Clockwise	To the left
Complex number	Any number of the form $a + bi$ , where $a$ and $b$ are real numbers and $i$ is the imaginary unit such that $i^2 = -1$
Correct Solution	A Solution that satisfies all the requirements listed in Section <b>VII-B</b> of the Equations Tournament Rules
Counting number	A member of the sequence 1, 2, 3, 4, ...; same as the Positive integers
Countdown	The procedure a player uses to tell the Mover that his time is running out; the countdown must be done at a measured pace: “one thousand ten, one thousand nine, ..., zero.”
Cube	A block containing a symbol on each of its six faces
Digit	In base $m$ , a symbol representing a whole number from 0 through $m - 1$ ; in base eight, the digits are 0, 1, 2, 3, 4, 5, 6, and 7; in base nine,

	include 8; in base ten, include 9; in base eleven, include $\wedge$ (for ten); in base twelve, include $\surd$ (for eleven).
Digit cube	A cube with a digit on its top face
Division	One of the four levels of competition: Elementary (grade 6 and below), Middle (grade 8 and below), Junior (grade 10 and below), and Senior (grade 12 and below)
Elementary Division	The division of play for students in grade 6 and below
Equation	A mathematical equation in this form. $\text{Solution} = \text{Goal}$ The Solution must unambiguously equal the interpretation of the Goal.
Equation-writer	A player who must write a Solution after a challenge or after the last Resource cube is moved to the playing mat
Even-year variation	A variation that may be chosen during a school year ending in an even-numbered calendar year, such as 2009-10
Exponent	A number representing the power to which a base is raised; in mathematics texts, the exponent is written as a superscript behind the base; in Equations, an exponent follows the $\wedge$ operator except when the Exponent variation is in effect, in which case the $\wedge$ is not required
Exponentiation	The operation of raising a number to a power
Factor	A positive integer which is an even divisor of a whole number; that is, positive integer $A$ is a factor of whole number $B$ if $A \times X = B$ for some integer $X$ ; for example, 2 is a factor of 8 because $2 \times 4 = 8$
Factorial	The mathematical operation represented by !; for $n$ a whole number greater than or equal to 0, $0! = 1$ and $n! = n \times (n-1)!$
Fractional exponent	An exponent that equals an expression of the form $N \div D$ , where $N$ and $D$ are integers ( $D$ not 0) and $D$ is not a factor of $N$
Forbidden	The section of the playing mat labeled FORBIDDEN; cubes in this section may not be used in any Solution
Forceout	The term used for the situation in which the last cube from Resources is played to Required or Permitted
Goal	The physical configuration of one or more cubes placed on the GOAL section of the playing mat; also any number represented by a legal interpretation of those cubes
“Goal”	The word the Goal-setter says when finished setting the Goal
Goal section	The section of the playing mat where the Goal is placed
Goal-setter	The player who rolls the cubes and sets the Goal
Grouping symbols	Symbols used in pairs (such as parentheses, brackets, and braces) to indicate the order of operations in an Equation

Illegal Challenge	After a player picks up the challenge block, <b>(a)</b> a claim other than Now or Impossible or a No Goal challenge, <b>(b)</b> a Now or Impossible claim by the last Mover (who is therefore challenging himself), <b>(c)</b> a Now or Impossible claim before the Goal has been completed, <b>(d)</b> a Now claim with no cubes in Required or Permitted, <b>(e)</b> a Now claim with fewer than two cubes left in Resources, or <b>(f)</b> an Impossible claim after the first minute following the move of the last cube in Resources to Required or Permitted
Illegal procedure	A move or other action that violates a procedural rule; examples: moving out of turn, attempting to make a bonus move without first saying “Bonus”
Imaginary number	A complex number $a + bi$ where $a = 0$ and $b \neq 0$
Imaginary unit	The number $i$ such that $i^2 = -1$
“Impossible”	The word a player says when making an Impossible challenge
Impossible challenge	A challenge that no correct Solution can be written using all the cubes in Required, none, some, or all the cubes in Permitted, and none, some, or all the cubes in Resources
Incorrect Equation	An Equation that violates one or more stipulations of section <b>VII-B</b> of the Equations Tournament Rules
Index	The non-zero number placed in front of a radical sign ( $\sqrt{\quad}$ ) to indicate which root is being taken; if the index is 2 (for square root), it may be omitted
Insulation	The process whereby an illegal procedure is protected from correction by a subsequent legal action by another player
Integer	One of the numbers in the infinite sequence 0, 1, 2, 3, 4, ... or the negative of a number in that sequence
Invalid Challenge	Same as Illegal Challenge
Irrational number	A real number that equals a non-repeating decimal; examples are $\pi$ and $\sqrt{2}$ .
Junior Division	The division of play for students in grade 10 and below
Legal Challenge	A challenge made by a player who is not the last Mover and who picks up the Challenge Block and says either “Now” or “Impossible”
Legal interpretation	An evaluation of the Solution or the Goal that does not violate the rules of mathematics or the game of Equations
Legal move	<b>(a)</b> A bonus move by the Goal-setter (who is not leading in the match), <b>(b)</b> setting a legal Goal by the Goal-setter, or <b>(c)</b> , after the Goal has been set, the transfer of a cube from Resources to Required, Permitted, or Forbidden by the player whose turn it is with the exception that the last cube in Resources may not be legally played to Forbidden

Mathematical expression	A group of numerals and operation signs that evaluates to a unique number; examples: 17, $9+5$ , $(8 \times 6) - 3$ , $45 \div 9$ , $\sqrt{64}$
Match	A sequence of shakes played continuously by two or three players until a specified time limit has been reached
Middle Division	The division of play involving students in grade 8 and below
Minute	The length of time it takes all the sand to pass from the top half of the timer to the bottom half
Move	The setting of the Goal or the transfer of a cube from the Resources to Required, Permitted, or Forbidden
Mover	The player who made the most recent move
Multiple	A multiple of an integer is that integer multiplied by a non-zero integer. For example, the multiples of 6 are 0, 6, 12, 18, 24, ... The multiples of -6 are 0, -6, -12, -18, -24, ...
Multiple of $k$	An integer that equals the product of the integer $k$ and another integer; example: 30 is a multiple of 6 because $30 = 6 \times 5$
Natural number	Same as Counting number
“Never”	The word formerly used for the Impossible challenge
Never challenge	Same as an Impossible challenge
“No Goal”	The words the Goal-setter must use to make a no Goal declaration
No Goal challenge	The claim by an opponent that the no Goal declaration of the Goal-setter is incorrect; section <b>IV-D</b> of the Equations Tournament Rules explains how to work out this challenge
No Goal declaration	The claim by the Goal-setter that no Goal can be set which has a possible Solution from the remaining Resources
Non-negative	Not smaller than zero; that is, zero or positive
Non-zero	Not equal to zero
“Now”	The word a player says when making a Now challenge
Now challenge	A challenge that a Solution can be written using all the cubes in Required, none, some, or all the cubes in Permitted, and, if needed, one cube in Resources
Numeral	A mathematical expression that names a number; examples: 13, $7+8$ , $3\sqrt{8}$ , $5!$ , and (in Senior Division with Imaginary) $4\sqrt{\phantom{x}}$
Numeral cube	A cube whose top face contains a symbol that names a number
Odd-year variation	A variation that may be chosen during a school year ending in an odd-numbered calendar year, such as 2020-21
Operation cube	A cube whose top face contains an operation symbol
Operation symbol	One of the symbols $+$ , $-$ , $\times$ , $\div$ , $\wedge$ , or $\sqrt{\phantom{x}}$ ; this definition applies whether these symbols have their usual mathematical meanings or special meanings defined by variations

Order of operations	The sequence in which operations are to be performed in the Goal or a Solution
Percent	$P$ percent of $X$ is $(P \div 100) \times X$ ; for example, 20 percent of 75 = $(20 \div 100) \times 75 = (1 \div 5) \times 75 = 15$
Percent sign	The symbol %
Permitted	The section of the playing mat labeled PERMITTED; cubes in this section may be used in any Solution
Playing mat	The rectangular piece of cardboard (or, in older games, two rectangular cardboards) that contains the REQUIRED, PERMITTED, FORBIDDEN, and GOAL sections; even if the physical mat contains a RESOURCES section, this is not considered part of the playing mat
Positive integer	Any one of the sequence 1, 2, 3, 4, ...
Power of $x$	A number obtained by applying an exponent to the number $x$
Presenting an Equation	Submitting your Equation to be checked by the opponent(s) by handing it to an opponent, placing it in the middle of the playing area, or allowing an opponent to take it from you.
Prime	Same as Prime number
Prime number	A whole number with exactly two factors, itself and 1; examples: 2, 3, 5, 7, 11, 13, 17, 19, ...
Principal root	Every positive real number $x$ has a single positive $n$ th root, called the principal $n$ th root. For example, the principal square root of 16 is 4; the principal cube root of 8 is 2; the principal 4 <sup>th</sup> root of 81 is 3; and so on.
Radical	The symbol $\sqrt{\quad}$ which represents the operation of taking the root of a number
Radical sign	Same as Radical
Rational number	A number that can be expressed as the ratio $A/B$ where $A$ and $B$ are integers and $B$ is not 0; examples: $\frac{3}{4}$ , $-17/5$ , $7/1$ , $5/(-10)$ . Note: <b>(a)</b> every integer is a rational number; <b>(b)</b> a decimal number like .75 is a rational number since it equals $\frac{3}{4}$ ; a repeating decimal like .454545... is a rational number because it equals $\frac{45}{99}$
Real number	Any number that can be expressed as a decimal (repeating or non-repeating)
Regular move	A move that is not a bonus move; that is, play of a cube from Resources to the mat without calling "Bonus" or the second move on a turn after a bonus move
Required	The section of the playing mat labeled REQUIRED; cubes in this section must be used in any Solution
Resource cube	A cube that has been rolled for the shake but has not yet been played to the Goal, Required, Permitted, or Forbidden sections

Resources	The symbols that appear on the top faces of the cubes after they have been rolled for the shake
Root	$x$ is the $n$ th root of $y$ if $x^n = y$ , where $x^n$ means $x$ to the $n$ power, ( $n$ is not 0)
Root sign	Same as Radical
Round	Same as Match
Scoresheet	A piece of paper on which players' scores for the shakes of a match are recorded and totaled and which the players sign or initial and which the winner of the match (or one of the winners if there is a tie) turns in to a designated person or place when the match ends
Senior Division	The division of play for students in grade 12 and below
Shake	A play of the game starting with the roll of the cubes and ending with at least one player writing a Solution
Solution	An expression which names a number and which forms the left side of the Equation that is presented after a challenge or forceout
Symbols of grouping	Same as grouping symbols
Table	A group of two or three players competing against each other in a match
Ten-second warning	The countdown from 10 to 1 that an opponent must make out loud when the sand runs out on a player's time limit
Third Party	In a three-player match in which a challenge has been made, the player who is neither the Challenger nor the Mover
Time limit	The amount of time allotted by the rules for a player to complete an action
Timer	An hour-glass-shaped piece of plastic (or glass) containing sand that is used to determine one- and two-minute time limits during a match; the sand in a timer usually takes about 60 seconds to pass through
Turn	The time when a player is obligated to move (which includes setting the Goal), challenge, or complete a required action (e.g., selecting a variation) within some specified time limit
Undefined expression	A mathematical expression that has no value; examples are $8 \div 0$ , $0\sqrt{3}$ , $0^{-3}$
Valid challenge	A challenge that is not illegal
Variation	Same as Adventurous variation
Variation selection	A player's choice of one or two variations from the appropriate list (Elementary, Middle, Junior, or Senior); the player indicates the selection by circling the name of the variation(s) on the variation selection chart and, if necessary, filling in the blank to indicate which cube is wild, which base is chosen, etc.



Variation selection chart	A chart printed either on the back of the scoresheet or on a separate page on which each player must record his/her variation selection for each shake on this chart
Warning	<b>(a)</b> The announcement that the time limit for the match (round) has been reached and that no new shakes are to be started. <b>(b)</b> A notice given to a player who has violated the behavior rule (IX-C) so that the next violation during that round results in a one-point penalty
Whole number	A non-negative integer; that is, a member of the sequence 0, 1, 2, 3, 4, ...
Wild cube	A cube containing a symbol on its top face which may represent another symbol because of a variation chosen for the shake

Last update: 6/27/19